BAOHUI

PROFESSIONAL TOOLS

Product Catalog

High Torque Bits / Bit Socket / Drill / Bit Holder / Coupler /
L Key Wrench / Screw Driver / Socket Adapter / Nut Setter ▶

We've been concentrated on improvement and research of all kinds of hand tools ranging from architecture, auto-repair, household appliance, aerospace, electric and plenty industries.

We're experienced in this field for more than 30 years. We offer ODM & OEM services for clients from more than 30 countries in the world.

www.baohui-tools.com

BAOHUI SCREW POWER BIT INC.

Each batch of goods is examined by test machines for high quality. We offer OEM,ODM services.



TQCSI ISO 9001:2008
Quality Certified
TA1166A-QC

TEL : +886-4-24071107 *FAX : +886-4-24073063*
E-mail : corking@ms19.hinet.net *Web : www.baohui-tools.com*
Address : No.50-9,Shuwang Rd.,Dali Dist.,Taichung City 412,Taiwan

BAOHUI SCREW POWER BIT INC.

Each batch of goods is examined by test machines for high quality. We offer OEM,ODM services.

PACKING & NEW PRODUCTS SERIES

PATENT/TORSION POWER BITS

VEHICLE REPAIR PATENT/TORSION BIT SOCKET

TEL : +886-4-24071107 *FAX : +886-4-24073063*

E-mail : corking@ms19.hinet.net *Web : www.baohui-tools.com*

Address : No.50-9,Shuwang Rd.,Dali Dist.,Taichung City 412,Taiwan

TQCSI ISO 9001:2008
Quality Certified
TA1166A-QC

Production, Quality control & Stock management

CNC Ultra-precision processing ▼



Quality control system ▼

Torque and fatigue test machine

Stock Management ▼ QR Code Based Cloud System

Product ID
(QR code Scanning)

Output

Input

Storage Space

CLOUD
ERP DATA BASE

Synchronize

Computer

Notebook

Wireless Scanner

Smartphone

Tablet

Hardness test machine

Straightness test machine

Salt spray machine

INDEX

High Torque Bits / Bit Socket / Drill / Screw Driver / Coupler / L Key Wrench / Bit Holder / Socket Adapter / Nut Setter

IMPACT / INSERT BITS DIN3126 C 6.3mm P01-08

IMPACT / POWER BITS DIN3126 E 6.3mm P01-08

PATENT / TORSION BITS / 70~100% LIFE UP .....
(5mm , 1/4" , 6.3mm , 8mm , 10mm hex shank)
....P01-08
P17-20
P23-25

ANTISKID / RIBBED BITS P01-03

PROFESSIONAL / THREAD DRIVE BITS P09

SOCKET ADAPTER (1/4" , 3/8" & 1/2" SQ.) P10

FLEXIBLE SOCKET ADAPTER P10

FLEXIBLE BIT HOLDER P10

MINI RATCHET HANDLE P11

SUPER DURABLE BIT HOLDER P11
P21
P24-25

MAGNETIC BIT HOLDER P11

ADJUSTABLE COLLAR / MAGNETIC BIT HOLDER P11

QUICK RELEASE / MAGNETIC BIT HOLDER P12

MAGNETIC LEVITATION BIT HOLDER P12

SDS TYPE / MAGNETIC BIT HOLDER P12

MAGNETIC BIT HOLDER SOCKET P13

INDEX

High Torque Bits / Bit Socket / Drill / Screw Driver / Coupler / L Key Wrench / Bit Holder / Socket Adapter / Nut Setter

DEEP HOLE & 12-ANGLE NUT SETTER P14

PLATE RING NUT SETTER /
FOR SCREWS OF ALL MATERIALS P14

MAGNETIC NUT SETTER P15-16 P21

HIGH EFFICIENCY / WING NUT DRIVER P16

HIGH EFFICIENCY / EYE LAG SCREW DRIVER P16

HIGH EFFICIENCY / SIDEWALK SLOTTED DRIVER P16

EXTENSION SOCKET FOR DOUBLE ENDED BIT & NUT P17

IMPACT / DOUBLE ENDED BITS P17-20
(5mm , 1/4" , 6.3mm , 5/16" , 8mm hex shank)

JAPANESE SIZE /
COMPLEX 9+14 & 12+17 TWO GROOVE BITS P19-20

ELECTRIC PRECISION BITS & BIT HOLDER
(∅4mm & ∅5mm) P21-23

AUTO-REPAIR / IMPACT DRIVER BITS P23-24
(5/16" , 8mm & 10mm hex shank)

AUTO-REPAIR / PNEUMATIC COUPLER BIT HOLDER P10 P15 P24-25
(1/4" , 3/8" , 1/2" DR.)

AUTO-REPAIR 1PC & 2PC BIT SOCKET(3/8" , 1/2" DR.) P25-30

AUTO-REPAIR / SUPER LOCK & E TYPE SOCKET P31-32
(1/4" , 3/8" , 1/2" DR.)

PROFESSIONAL RATCHET WRENCH / 72 ANGLE P32

PROFESSIONAL CONCRETE TOOL P15 P33 P35

INDEX

High Torque Bits / Bit Socket / Drill / Screw Driver / Coupler / L Key Wrench / Bit Holder / Socket Adapter / Nut Setter

DRILLS / CONCRETE,HSS,M2,CO5% & SDS P33-35

EASY DRILL CHUCK / 9.5mm & 14mm P35

HEX & STAR KEY WRENCH / CR-V & SUPER S2 ....P36-40

PATENT / FLAGPOLE SCREWDRIVER WRENCH P40

HEX & SQUARE HOLE KEY WRENCH P40

IMPACT / POWER BITS SET P41-44

MULTI "L" KEY WRENCH BAR P42

FOLDING NUT DRIVER SET P44

FINE PACKAGING PATTERN P45-47

INDEX

High Torque Bits / Bit Socket / Drill / Screw Driver / Coupler / L Key Wrench / Bit Holder / Socket Adapter / Nut Setter

CUSTOMIZED & SPECIAL PRODUCT P47

HOLLOW-SHAFT NUT DRIVER P48

5PC SCREW EXTRACTOR SET P48

3 WAY RACHET SCREWDRIVER SET P48-49

HIGH TORQUE RACHET SCREWDRIVER SET P49-50

COMPLEX RACHET SCREWDRIVER SET P50

STUBBY RACHET SCREWDRIVER SET P50

STAINLESS MAGNETIC SCREWDRIVER SET P50

S2 EXTRA LONG KEY WRENCH SET P51-52

Differences on fracture and tenacity of PH2 X 65mm double-ended bit.

















Sample Size	Contact Pressure	Torque Setup	Average twists while fracture				
			GENERAL S2	JAPANESE " V " 2H	JAPANESE " B " 2G	CORKING A-2	CORKING PATENT TORSION A-2
JAPANESE SIZE 1/4" PH2 X PH2 X 65mm	15Kgs	190Kg-cm	370	1050	1080	1200	1600
REDUCED Ø6mm PH2 X 50mm			350	—	—	1000	1300
REDUCED Ø6mm PH2 X 150mm			350	—	—	1000	1300
REDUCED Ø6mm PZ2 X 50mm	15Kgs	85Kg-cm	400	—	—	930	1200
REDUCED Ø5.5mm T25 X 50mm		195Kg-cm	400	—	—	1000	1300
REDUCED Ø6mm SQ2 X 50mm		125Kg-cm	600	—	—	800	1050
REDUCED Ø6mm SL6 X 50mm	15Kgs	105Kg-cm	2000	—	—	3000	4000
REDUCED Ø5.7mm HEX5 X 50mm		480Kg-cm	380	—	—	530	700

Corking®

DIN3126 C6.3mm / INSERT BITS



PHILLIPS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25PH00	NO.00	25mm (1")	3.5	11.5	S2 A-2 STAINLESS STEEL
25PH0	NO.0		4	11.5	
25PH1	NO.1		5	11.5	
25PH2	NO.2		6	11.5	
25PH2R	NO.2		5	11.5	
25PH3	NO.3		6	11.5	
25PH4	NO.4		8	12.5	
30PH1	NO.1	30mm (1 3/16")	5	11.5	
30PH2	NO.2		6	11.5	
30PH3	NO.3				
S38PH2	NO.2	38mm	6	11.5	
S50PH2		50mm			
S65PH2		65mm			
S100PH2	NO.2	100mm	6	11.5	
S150PH2		150mm			
S200PH2		200mm			
S250PH2		250mm			
S300PH2		300mm			

※ A-2 / PH2 BIT / 50-100% LIFE UP



PATENT / SHOCK BUFFER / TORSION PHILLIPS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-30PH1A	NO.1	30mm (1 3/16")	5	10	A-2 STAINLESS STEEL
P-30PH2A	NO.2		6	10	
P-30PH3A	NO.3				

※ A-2 / PH2 TORSION BIT / 80-130% LIFE UP



ANTISKID / RIBBED PHILLIPS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25PH0S	NO.0	25mm (1")	4	11.5	S2 A-2
25PH1S	NO.1		5	11.5	
25PH2S	NO.2		6.2	11.5	
25PH3S	NO.3				



PATENT / SHOCK BUFFER / TORSION RIBBED PHILLIPS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-R32PH1S	NO.1	32mm (1 1/4")	5	11.5	S2 A-2
P-R32PH2S	NO.2		6.2	11.5	
P-R32PH3S	NO.3				

DIN3126 C6.3mm / INSERT BITS



POSITION / DRYWALL PHILLIPS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
DW25PH2	NO.2	25mm	14	2.5	S2 A-2
DW38PH2		38mm			
DW50PH2		50mm			
DW65PH2		65mm			
DW100PH2		100mm			
DW150PH2		150mm			

DIN3126 E6.3mm / POWER BITS



SLENDER BODY / PHILLIPS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50PH00	NO.00	50mm (2")	3.5	25	S2 A-2 STAINLESS STEEL
50PH0	NO.0		4	25	
50PH1F	NO.1		7	25	
50PH1			5	25	
50PH1R			4.5	25	
			3	25	
50PH2F	NO.2		7	25	
50PH2			6	25	
50PH2R			5	25	
			4.5	25	
			4	25	
50PH3F	NO.3		7	25	
50PH3			6	25	
50PH4	NO.4		8	25	
70PH1	NO.1	70mm (2 3/4")	5	45	
70PH2	NO.2		6	45	
70PH3	NO.3				
75PH1	NO.1	75mm (3")	5	50	
75PH2	NO.2		6	50	
75PH2R			5	50	
			4.5	50	
89PH1	NO.1	89mm (3 1/2")	5	64	
89PH2	NO.2		6	64	
89PH3	NO.3				
100PH1	NO.1	100mm (4")	5	75	
100PH2	NO.2		6	75	
100PH2R			4.5	75	
100PH3	NO.3		6	75	
150PH1	NO.1	150mm (6")	5	125	
150PH2	NO.2		6	125	
150PH2R			4.5	125	
200PH2	NO.2	200mm (8")	6	175	
200PH2R			4.5	175	
250PH2		250mm	6	225	

※ A-2 / PH2 BIT / 50-100% LIFE UP R : Reduced Diameter / F : Full Hex

DIN3126 E6.3mm / POWER BITS



PATENT / SHOCK BUFFER / TORSION PHILLIPS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-50PH1A	NO.1	50mm (2")	5	12	A-2
P-50PH2A	NO.2		6	12	
P-50PH3A	NO.3				
P-75PH1A	NO.1	75mm (3")	5	37	
P-75PH2A	NO.2		6	37	
P-75PH3A	NO.3				
P-100PH1A	NO.1	100mm (4")	5	62	
P-100PH2A	NO.2		6	62	
P-100PH3A	NO.3				
P-150PH1A	NO.1	150mm (6")	5	112	
P-150PH2A	NO.2		6	112	
P-150PH3A	NO.3				

※A-2 / PH2 TORSION BIT / 80-130% LIFE UP



ANTISKID / RIBBED PHILLIPS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
R50PH2S	NO.2	50mm	6.2	25	S2
R70PH2S		70mm	6.2	45	
R75PH2S		75mm	6.2	50	A-2
R89PH2S		89mm	6.2	64	
R100PH2S		100mm	6.2	75	
R150PH2S		150mm	6.2	125	



PATENT / SHOCK BUFFER / TORSION RIBBED PHILLIPS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-R50PH2S	NO.2	50mm	6.2	12	S2
P-R75PH2S		75mm	6.2	37	
P-R100PH2S		100mm	6.2	62	A-2
P-R150PH2S		150mm	6.2	112	

DIN3126 C6.3mm / INSERT BITS



PATENT / SHOCK BUFFER / TORSION SLOTTED

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-30SL4A	4mm	30mm	4	10	A-2
P-30SL55A	5.5mm		5.5	10	STAINLESS STEEL
P-30SL7A	7mm		7	10	

DIN3126 C6.3mm / INSERT BITS



SLOTTED

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25SL3	3mm	25mm	3	11.5	S2
25SL4	4mm		4	11.5	
25SL5	5mm		5	11.5	A-2
25SL55	5.5mm		5.5	11.5	
25SL6	6mm		6	11.5	
25SL7	7mm		7	11.5	
25SL8	8mm		8	12.5	
25SL81	1/8"	1"	3.2	11.5	STAINLESS STEEL
25SL325	5/32"		4	11.5	
25SL163	3/16"		4.7	11.5	
25SL327	7/32"		5.5	11.5	
25SL41	1/4"		6.3	11.5	
25SL165	5/16"		7.9	11.5	

※A-2 / SL6 BIT / 20-40% LIFE UP

DIN3126 E6.3mm / POWER BITS



SLENDER BODY / SLOTTED

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50SL3	3mm	50mm (2")	3	25	S2
50SL4	4mm		4	25	
50SL5	5mm		5	25	A-2
50SL6	6mm		6	25	
50SL7	7mm		7	25	
50SL8	8mm		8	25	
70SL4	4mm	70mm (2 3/4")	4	45	
70SL5	5mm		5	45	STAINLESS STEEL
70SL6	6mm		6	45	
150SL81	1/8"	150mm (6")	3.2	125	
150SL325	5/32"		4	125	
150SL163	3/16"		4.7	125	
150SL41	1/4"		6.3	125	
150SL329	9/32"		7	125	



PATENT / SHOCK BUFFER / TORSION SLOTTED

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-50SL4A	4mm	50mm (2")	4	12	A-2
P-50SL55A	5.5mm		5	12	
P-50SL7A	7mm		7	12	
P-75SL5A	5mm	75mm (3")	5	37	
P-75SL6A	6mm		6	37	

※A-2 / SL6 TORSION BIT / 60-85% LIFE UP

DIN3126 E6.3mm / POWER BITS



SLENDER BODY / POSIDRIV

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50PZ1	NO.1	50mm (2")	5	25	S2 A-2 STAINLESS STEEL
50PZ2	NO.2		6	25	
50PZ3	NO.3				
70PZ1	NO.1	70mm (2 3/4")	5	45	
70PZ2	NO.2		6	45	
75PZ1	NO.1	75mm (3")	5	50	
75PZ2	NO.2		6	50	
89PZ1	NO.1	89mm (3 1/2")	5	64	
89PZ2	NO.2		6	64	
100PZ1	NO.1	100mm (4")	5	75	
100PZ2	NO.2		6	75	
150PZ1	NO.1	150mm (6")	5	125	
150PZ2	NO.2		6	125	



PATENT / SHOCK BUFFER / TORSION POSIDRIV

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-50PZ2A	NO.2	50mm	6	12	A-2
P-75PZ2A		75mm	6	37	
P-150PZ2A		150mm	6	112	

※A-2 / PZ2 TORSION BIT / 70-100% LIFE UP



ANTISKID / RIBBED POSIDRIV

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
R50PZ1S	NO.1	50mm (2")	5	25	S2 A-2
R50PZ2S	NO.2		6.2	25	
R50PZ3S	NO.3				
R70PZ2S	NO.2	2 3/4"	6.2	45	
R75PZ2S		75mm	6.2	50	
R89PZ2S		3 1/2"	6.2	64	
R100PZ2S		100mm	6.2	75	
R150PZ2S		150mm	6.2	125	



PATENT / SHOCK BUFFER / TORSION RIBBED POSIDRIV

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-R50PZ2S	NO.2	50mm	6.2	12	S2 A-2
P-R75PZ2S		75mm	6.2	37	
P-R100PZ2S		100mm	6.2	62	
P-R150PZ2S		150mm	6.2	112	

DIN3126 C6.3mm / INSERT BITS



POSIDRIV

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25PZ0	NO.0	25mm (1")	4	11.5	S2 A-2 STAINLESS STEEL
25PZ1	NO.1		5	11.5	
25PZ2	NO.2		6	11.5	
25PZ3	NO.3				
25PZ4	NO.4		8	12.5	
30PZ1	NO.1	30mm	5	11.5	
30PZ2	NO.2		6	11.5	

※A-2 / PZ2 BIT / 30-50% LIFE UP



PATENT / SHOCK BUFFER / TORSION POSIDRIV

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-30PZ1A	NO.1	30mm (1 3/16")	5	10	A-2 STAINLESS STEEL
P-30PZ2A	NO.2		6	10	
P-30PZ3A	NO.3				



ANTISKID / RIBBED POSIDRIV

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
R25PZ1S	NO.1	25mm (1 ")	5	11.5	S2 A-2
R25PZ2S	NO.2		6.2	11.5	
R25PZ3S	NO.3				



PATENT / SHOCK BUFFER / TORSION RIBBED POSIDRIV

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-R32PZ1S	NO.1	32mm (1 1/4")	5	11.5	S2 A-2
P-R32PZ2S	NO.2		6.2	11.5	
P-R32PZ3S	NO.3				



PATENT / SHOCK BUFFER / TORSION HEX

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-30H3A	3mm	30mm (1 3/16")	3.5	9	A-2 STAINLESS STEEL
P-30H4A	4mm		4.7	9	
P-30H5A	5mm		5.7	9	
P-30H163A	3/16"		5.5	9	

※A-2 / H5mm TORSION BIT / 50-70% LIFE UP

Corking®

DIN3126 C6.3mm / INSERT BITS



HEX

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25H15	1.5mm	25mm (1")	2.3	9	S2 A-2 STAINLESS STEEL
25H2	2mm		2.8	9	
25H25	2.5mm		3	9	
25H3	3mm		3.5	9	
25H4	4mm		4.7	9	
25H5	5mm		5.7	9	
25H55	5.5mm		6.3	9	
25H6	6mm		7	9	
25H8	8mm		9.2	9	
25H161	1/16"	25mm (1")	2.3	9	
25H645	5/64"		2.8	9	
25H323	3/32"		3	9	
25H647	7/64"		3.5	9	
25H81	1/8"		3.8	9	
25H649	9/64"		4.3	9	
25H325	5/32"		4.7	9	
25H163	3/16"		5.5	9	
25H327	7/32"		6.3	9	
25H41	1/4"		7	9	
25H165	5/16"		9.2	9	

DIN3126 E6.3mm / POWER BITS



PATENT / SHOCK BUFFER / TORSION HEX

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-50H3A	3mm	50mm (2")	4	9	A-2 STAINLESS STEEL
P-50H4A	4mm		5	9	
P-50H5A	5mm		6	9	
P-50H55A	5.5mm		7	9	
P-100H3A	3mm	100mm (4")	4	60	
P-100H4A	4mm		5	60	
P-100H5A	5mm		6	60	
P-100H55A	5.5mm		7	60	
P-150H3A	3mm	150mm (6")	4	110	
P-150H4A	4mm		5	110	
P-150H5A	5mm		6	110	
P-150H55A	5.5mm		7	110	
P-50H81A	1/8"	50mm (2")	4.5	9	
P-50H325A	5/32"		5	9	
P-50H163A	3/16"		6	9	
P-100H81A	1/8"	100mm (4")	4.5	60	
P-100H325A	5/32"		5	60	
P-100H163A	3/16"		6	60	
P-150H325A	5/32"	150mm (6")	5	110	
P-150H163A	3/16"		6	110	

※ A-2 / H5mm BIT / 50-70% LIFE UP

DIN3126 E6.3mm / POWER BITS



SLENDER BODY / HEX

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50H15	1.5mm	50mm (2")	2.5	25	S2 A-2 STAINLESS STEEL
50H2	2mm		3	25	
50H25	2.5mm		3.5	25	
50H3	3mm		4	25	
50H4	4mm		5	25	
50H5	5mm		6	25	
50H55	5.5mm		7	25	
50H6	6mm				
50H8	8mm		9.2	25	
50H161	1/16"	50mm (2")	2.5	25	
50H645	5/64"		3	25	
50H323	3/32"		3.5	25	
50H647	7/64"		4	25	
50H81	1/8"		4.5	25	
50H649	9/64"		4.7	25	
50H325	5/32"		5	25	
50H163	3/16"		6	25	
50H327	7/32"		7	25	
50H41	1/4"				
50H165	5/16"		9.2	25	

※ A-2 / H5mm BIT / 20-40% LIFE UP

DIN3126 C6.3mm / INSERT BITS



WITH HOLE / TAMPERPROOF HEX

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25HT15	1.5mm	25mm (1")	2.3	9	S2 A-2 STAINLESS STEEL
25HT2	2mm		2.8	9	
25HT25	2.5mm		3	9	
25HT3	3mm		3.5	9	
25HT4	4mm		4.7	9	
25HT5	5mm		5.7	9	
25HT55	5.5mm		6.3	9	
25HT6	6mm		7	9	
25HT8	8mm		9.2	9	
25HT161	1/16"	25mm (1")	2.3	9	
25HT645	5/64"		2.8	9	
25HT323	3/32"		3	9	
25HT647	7/64"		3.5	9	
25HT81	1/8"		3.8	9	
25HT649	9/64"		4.3	9	
25HT325	5/32"		4.7	9	
25HT163	3/16"		5.5	9	
25HT327	7/32"		6.3	9	
25HT41	1/4"		7	9	
25HT165	5/16"		9.2	12	

DIN3126 E6.3mm / POWER BITS



WITH HOLE / TAMPERPROOF HEX

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50HT15	1.5mm	50mm (2")	2.5	25	S2 & A-2 STAINLESS STEEL
50HT2	2mm		3	25	
50HT25	2.5mm		3.5	25	
50HT3	3mm		4	25	
50HT4	4mm		5	25	
50HT5	5mm		6	25	
50HT55	5.5mm		7	25	
50HT6	6mm				
50HT8	8mm		9.2	25	
50HT161	1/16"	50mm (2")	2.5	25	
50HT645	5/64"		3	25	
50HT323	3/32"		3.5	25	
50HT647	7/64"		4	25	
50HT81	1/8"		4.5	25	
50HT649	9/64"		4.7	25	
50HT325	5/32"		5	25	
50HT163	3/16"		6	25	
50HT327	7/32"		7	25	
50HT41	1/4"				
50HT165	5/16"		9.2	25	

DIN3126 C6.3mm / INSERT BITS



SNAKE EYE / SPANNER

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
39SPN4	NO.4	39mm	8	26	S2 STAINLESS STEEL
39SPN6	NO.6				
39SPN8	NO.8				
39SPN10	NO.10				
39SPN12	NO.12				
39SPN14	NO.14				



SNAKE EYE / SPANNER

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25SPN4	NO.4	25mm (1")	3.5	11	S2 STAINLESS STEEL
25SPN6	NO.6		4.5	11	
25SPN8	NO.8		5	11	
25SPN10	NO.10		6	11	
25SPN12	NO.12		7	11	
25SPN14	NO.14		8	11	

DIN3126 C6.3mm / INSERT BITS



ROBERTSON SQUARE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25RS1	NO.1	25mm (1")	3.5	9	S2 & A-2 STAINLESS
25RS2	NO.2		4.5	9	
25RS3	NO.3		5.2	9	



PATENT
SHOCK BUFFER
TORSION ROBERTSON SQUARE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-30RS1A	NO.1	30mm (1 3/16")	3.5	9	A-2 STAINLESS STEEL
P-30RS2A	NO.2		4.5	9	
P-30RS3A	NO.3		5.2	9	

※A-2 / RS2 TORSION BIT / 50-70% LIFE UP

DIN3126 E6.3mm / POWER BITS



SLENDER BODY / ROBERTSON SQUARE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50RS1	NO.1	50mm (2")	5	25	S2 A-2 STAINLESS STEEL
50RS2	NO.2		6	25	
50RS3	NO.3		6	25	
70RS1	NO.1	70mm (2 3/4")	5	45	
70RS2	NO.2		6	45	
75RS1	NO.1	75mm (3")	5	50	
75RS2	NO.2		6	50	
89RS1	NO.1	89mm (3 1/2")	5	64	
89RS2	NO.2		6	64	
100RS1	NO.1	100mm (4")	5	75	
100RS2	NO.2		6	75	
150RS1	NO.1	150mm (6")	5	125	
150RS2	NO.2		6	125	

※A-2 / RS2 BIT / 20-40% LIFE UP



PATENT / SHOCK BUFFER / TORSION ROBERTSON SQUARE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-50RS2A	NO.2	50mm	6	12	A-2
P-75RS2A		75mm	6	37	
P-100RS2A		100mm	6	62	
P-150RS2A		150mm	6	112	

Corking®

DIN3126 E6.3mm / POWER BITS

SLENDER BODY / BALL POINT HEX

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
75HB2	2mm	75mm (3")	3	21	S2 / A-2 / STAINLESS STEEL
75HB25	2.5mm		3.5	21	
75HB3	3mm		4	21	
75HB4	4mm		5	21	
75HB5	5mm		6	21	

DIN3126 C6.3mm / INSERT BITS



BALL POINT HEX

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25HB2	2mm	25mm (1")	2.8	9	S2 / A-2 / STAINLESS STEEL
25HB25	2.5mm		3	9	
25HB3	3mm		3.5	9	
25HB4	4mm		4.7	9	
25HB5	5mm		5.7	9	
25HB6	6mm		7	9	



6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25T4	T4	25mm (1")	1.9	11	S2 / A-2 / STAINLESS STEEL
25T5	T5				
25T6	T6		2.5	11	
25T7	T7		2.9	11	
25T8	T8				
25T9	T9		3.2	11	
25T10	T10				
25T15	T15		3.5	11	
25T20	T20		4.2	11	
25T25	T25		4.6	11	
25T27	T27		5.3	11	
25T30	T30		5.8	11	
25T40	T40		7	11	
25T45	T45		8	12	

※A-2 / T25 BIT / 25-40% LIFE UP



PATENT / SHOCK BUFFER / TORSION 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-30T15A	T15	30mm (1 3/16")	3.5	11	A-2 / STAINLESS STEEL
P-30T20A	T20		4.2	11	
P-30T25A	T25		4.6	11	
P-30T30A	T30		5.8	11	
P-30T40A	T40		7	11	

DIN3126 E6.3mm / POWER BITS



SLENDER BODY / 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50T5	T5	50mm (2")	2.5	25	S2 / A-2 / STAINLESS STEEL
50T6	T6		3	25	
50T7	T7		3.5	25	
50T8	T8				
50T9	T9		4	25	
50T10	T10				
50T15	T15		4.5	25	
50T20	T20		5	25	
50T25	T25		5.5	25	
50T27	T27		6	25	
50T30	T30				
50T40	T40		7	25	
50T45	T45		8	25	
50T50	T50		9.2	25	
50T55	T55		12.5	25	
70T25F	T25	70mm (2 3/4")	7	11	
70T30F	T30		7	11	
75T20	T20	75mm	5	50	
89T6	T6	89mm (3 1/2")	3	64	
89T7	T7		3.5	64	
89T8	T8				
100T10	T10	100mm (4")	4	75	
100T20	T20		5	75	
100T25	T25		5.5	75	

※A-2 & STAINLESS STEEL STAR BITS / GREATLY FITS SCREWS



PATENT / SHOCK BUFFER
GREATLY FITS SCREWS / TORSION 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-50T15A	T15	50mm (2")	3.5	11	A-2 / STAINLESS STEEL
P-50T20A	T20		4.2	11	
P-50T25A	T25		4.6	11	
P-50T30A	T30		5.8	11	
P-50T40A	T40		7	11	
P-75T15A	T15	75mm (3")	3.5	36	
P-75T20A	T20		4.2	36	
P-75T25A	T25		4.6	36	
P-75T30A	T30		5.8	36	
P-75T40A	T40		7	36	
P-100T15A	T15	100mm (4")	3.5	61	
P-100T20A	T20		4.2	61	
P-100T25A	T25		4.6	61	
P-100T30A	T30		5.8	61	
P-100T40A	T40		7	61	
P-150T15A	T15	150mm (6")	3.5	111	
P-150T20A	T20		4.2	111	
P-150T25A	T25		4.6	111	
P-150T30A	T30		5.8	111	
P-150T40A	T40		7	111	

※A-2 / T25 TORSION BIT / 60-80% LIFE UP

DIN3126 C6.3mm / INSERT BITS



SECURITY / WITH HOLE / TAMPERPROOF 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25TT4	TT4	25mm (1")	1.9	11	S2 & A-2 STAINLESS STEEL
25TT5	TT5				
25TT6	TT6		2.5	11	
25TT7	TT7		2.9	11	
25TT8	TT8				
25TT9	TT9		3.2	11	
25TT10	TT10				
25TT15	TT15		3.5	11	
25TT20	TT20		4.2	11	
25TT25	TT25		4.6	11	
25TT27	TT27		5.3	11	
25TT30	TT30		5.8	11	
25TT40	TT40		7	11	
25TT45	TT45		8	12	
25TT50	TT50		9.2	12	
25TT55	TT55		12.5	12	

※A-2 / T25 BIT / 25-40% LIFE UP

DIN3126 E6.3mm / POWER BITS



SECURITY / WITH HOLE
SLENDER BODY / TAMPERPROOF 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50TT10	TT10	50mm (2")	4	25	S2 & A-2 STAINLESS
50TT15	TT15		4.5	25	
50TT20	TT20		5	25	
50TT25	TT25		5.5	25	
50TT30	TT30		6	25	
50TT40	TT40		7	25	
75TT10	TT10	75mm (3")	4	50	
75TT15	TT15		4.5	50	

DIN3126 C6.3mm / INSERT BITS



SECURITY / WITH HOLE / TAMPERPROOF 5 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25-5TT8	5TT8	25mm (1")	2.9	11	S2 & A-2
25-5TT10	5TT10		3.2	11	
25-5TT15	5TT15		3.6	11	
25-5TT20	5TT20		4.2	11	
25-5TT25	5TT25		4.8	11	
25-5TT27	5TT27		5.3	11	
25-5TT30	5TT30		5.8	11	

DIN3126 C6.3mm / INSERT BITS



SECURITY / PHILLIPS mix ROBERTSON SQUARE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25PHT2	PHT2	25mm	6	11.5	S2 & A-2



SECURITY / PHILLIPS mix ROBERTSON SQUARE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25SPH2	SPH2	25mm	6	11.5	S2 & A-2



SECURITY / 4-WING

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25TS3	TS3	25mm (1")	4.6	10.5	S2 & A-2 STAINLESS
25TS4	TS4				
25TS5	TS5				
25TS6	TS6				
25TS8	TS8		6.1	10.5	
25TS10	TS10				



SECURITY / 3-WING

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25TW0	TW0	25mm (1")	4.6	10.5	S2 & A-2 STAINLESS
25TW1	TW1				
25TW2	TW2				
25TW3	TW3				
25TW4	TW4		6.1	10.5	
25TW5	TW5				



SECURITY / TRILOB TYPE

STYLE NO.	SIZE	LENGTH	A	ℓ mm	MATERIAL
25TRILOB	TRILOB	25mm	4.3	11.5	S2 & A-2



SECURITY / TRI-ANGLE

STYLE NO.	SIZE	LENGTH	A	ℓ mm	MATERIAL
25-3AG20	TA18	25mm (1")	2	11	S2 & A-2
25-3AG23	TA20		2.3	11	
25-3AG27	TA23		2.7	11	
25-3AG32	TA27		3.2	11	

Corking®

DIN3126 C6.3mm / INSERT BITS



PATENT / SHOCK BUFFER
SECURITY / WITH HOLE / TAMPERPROOF 5 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P30-5TT10	5TT10	30mm (1 3/16")	3.2	10.5	S2 A-2
P30-5TT15	5TT15		3.6	10.5	
P30-5TT20	5TT20		4.2	10.5	
P30-5TT25	5TT25		4.8	10.5	
P30-5TT30	5TT30		5.8	10.5	



SECURITY / GEAR TYPE / 6 LOBE STAR PLUS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25-6TP8	6TP8	25mm (1")	2.7	11	S2 A-2
25-6TP10	6TP10		3.1	11	
25-6TP15	6TP15		3.7	11	
25-6TP20	6TP20		4.3	11	
25-6TP25	6TP25		4.9	11	
25-6TP30	6TP30		6	11	



PATENT / SHOCK BUFFER
SECURITY / GEAR TYPE / TORSION 6 LOBE STAR PLUS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P30-6TP15	6TP15	30mm (1 3/16")	3.7	10.5	S2 & A-2
P30-6TP20	6TP20		4.3	10.5	
P30-6TP25	6TP25		4.9	10.5	



PATENT / SHOCK BUFFER / SECURITY / TORSION 3-WING

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-30TW2	TW2	30mm (1 3/16")	4.6	10.5	S2 A-2
P-30TW3	TW3				
P-30TW4	TW4		6.1	10.5	
P-30TW5	TW5				



PATENT / SHOCK BUFFER / SECURITY / TORSION 4-WING

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-30TS4	TS4	30mm (1 3/16")	4.6	10.5	S2 A-2
P-30TS5	TS5				
P-30TS6	TS6				
P-30TS8	TS8		6.1	10.5	
P-30TS10	TS10				

DIN3126 E6.3mm / POWER BITS



PATENT / SHOCK BUFFER
SECURITY / TORSION 5 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P50-5TT10	5TT10	50mm (2")	3.2	10.5	S2 A-2
P50-5TT15	5TT15		3.6	10.5	
P50-5TT20	5TT20		4.2	10.5	
P50-5TT25	5TT25		4.8	10.5	
P50-5TT30	5TT30		5.8	10.5	



SECURITY / GEAR TYPE / 6 LOBE STAR PLUS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50-6TP8	6TP8	50mm (2")	2.7	11	S2 A-2
50-6TP10	6TP10		3.1	11	
50-6TP15	6TP15		3.7	11	
50-6TP20	6TP20		4.3	11	
50-6TP25	6TP25		4.9	11	
50-6TP30	6TP30		6	11	



PATENT / SHOCK BUFFER
SECURITY / TORSION 6 LOBE STAR PLUS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P50-6TP15	6TP15	50mm (2")	3.7	10.5	S2 & A-2
P50-6TP20	6TP20		4.3	10.5	
P50-6TP25	6TP25		4.9	10.5	



PATENT / SHOCK BUFFER / SECURITY / TORSION 3-WING

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-50TW2	TW2	50mm (2")	4.6	10.5	S2 A-2
P-50TW3	TW3				
P-50TW4	TW4		6.1	10.5	
P-50TW5	TW5				



PATENT / SHOCK BUFFER / SECURITY / TORSION 4-WING

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-50TS4	TS4	50mm (2")	4.6	10.5	S2 A-2
P-50TS5	TS5				
P-50TS6	TS6				
P-50TS8	TS8		6.1	10.5	
P-50TS10	TS10				

PROFESSIONAL / THREAD DRIVE BITS



HIGH TORQUE / PHILLIPS

STYLE NO.	SIZE		Ø d	Lmm	MATERIAL
	POINT	THREAD			
THM4PH1A	NO.1	M4-0.7mm	4	30.5	A-2
THM4PH2A	NO.2				
THM5PH1A	NO.1	M5-0.8mm	5.5	30.5	
THM5PH2A	NO.2				
THM6PH3A	NO.3	M6-1mm	8	30.5	
TH832PH1A	NO.1	8-32	7/32"	30.5	
TH832PH2A	NO.2				
TH1224PH1A	NO.1	12-24	5/16"	30.5	
TH1224PH2A	NO.2				

※A-2 / PH2 BIT / 50-80% LIFE UP



HIGH TORQUE / POSIDRIV

STYLE NO.	SIZE		Ø d	Lmm	MATERIAL
	POINT	THREAD			
THM4PZ1A	NO.1	M4-0.7mm	4	30.5	A-2
THM4PZ2A	NO.2				
THM5PZ1A	NO.1	M5-0.8mm	5.5	30.5	
THM5PZ2A	NO.2				
THM6PZ3A	NO.3	M6-1mm	8	30.5	
TH832PZ1A	NO.1	8-32	7/32"	30.5	
TH832PZ2A	NO.2				
TH1224PZ1A	NO.1	12-24	5/16"	30.5	
TH1224PZ2A	NO.2				



FLAT TYPE / GREATLY FITS SCREWS / 6 LOBE STAR

STYLE NO.	SIZE		Ø d	Lmm	MATERIAL
	POINT	THREAD			
THM4T10FA	T10	M4-0.7mm	4	38	A-2
THM4T15FA	T15		4.5		
THM4T20FA	T20		5		
THM4T25FA	T25		5.5		
THM5T10FA	T10	M5-0.8mm	4	38	
THM5T15FA	T15		4.5		
THM5T20FA	T20		5		
THM5T25FA	T25		5.5		
TH1032T8FA	T8	10-32	3.5	38	
TH1032T10FA	T10		4		
TH1032T15FA	T15		4.5		
TH1032T20FA	T20		5		
TH1224T10FA	T10	12-24	4	38	
TH1224T15FA	T15		4.5		
TH1224T20FA	T20		5		
TH1224T25FA	T25		5.5		

※A-2 / T25 BIT / 25-40% LIFE UP

PROFESSIONAL / THREAD DRIVE BITS



FLAT TYPE / HIGH TORQUE / PHILLIPS

STYLE NO.	SIZE		Ø d	Lmm	MATERIAL
	POINT	THREAD			
TH1032PH1FA	NO.1	10-32	3/16"	38	A-2
TH1032PH2FA	NO.2		1/4"		
TH1032PH3FA	NO.3		5/16"		
TH4124PH1FA	NO.1	1/4"-24	3/16"	38	
TH4124PH2FA	NO.2		1/4"		
TH4124PH3FA	NO.3		5/16"		



FLAT TYPE / HIGH TORQUE / POSIDRIV

STYLE NO.	SIZE		Ø d	Lmm	MATERIAL
	POINT	THREAD			
TH1032PZ1FA	NO.1	10-32	3/16"	38	A-2
TH1032PZ2FA	NO.2		1/4"		
TH1032PZ3FA	NO.3		5/16"		
TH4124PZ1FA	NO.1	1/4"-24	3/16"	38	
TH4124PZ2FA	NO.2		1/4"		
TH4124PZ3FA	NO.3		5/16"		

※A-2 / PZ2 BIT / 30-50% LIFE UP



FLAT TYPE / HIGH TORQUE / SLOTTED

STYLE NO.	SIZE		Ø d	Lmm	MATERIAL
	POINT	THREAD			
TH1032SL163FA	3/16"	10-32	3/16"	38	A-2
TH1032SL41FA	1/4"		1/4"		
TH1032SL165FA	5/16"		5/16"		
TH4124SL81FA	1/8"	1/4"-24	1/8"	38	
TH4124SL163FA	3/16"		3/16"		
TH4124SL41FA	1/4"		1/4"		
TH4124SL165FA	5/16"		5/16"		



FLAT TYPE / HIGH TORQUE / HEX

STYLE NO.	SIZE		Ø d	Lmm	MATERIAL
	POINT	THREAD			
THM5H3FA	3mm	M5-0.8mm	4	38	A-2
THM5H4FA	4mm		5		
THM6H5FA	5mm	M6-1mm	6	38	
THM6H6FA	6mm		7		

※A-2 / H5mm BIT / 20-40% LIFE UP

DIN3126 C6.3mm / SOCKET ADAPTER



FOR 1/4" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
25AD41	1/4"SQ.	25mm	8	13	6150 / STEEL BALL
30AD41		30mm	8	18	

DIN3126 E6.3mm / SOCKET ADAPTER



FOR 1/4" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50AD41	1/4"SQ.	50mm	8	25	6150 / STEEL BALL
65AD41		65mm	8	40	
75AD41		75mm	8	50	
100AD41		100mm	8	75	
150AD41		150mm	8	125	
BT50AD41	1/4"SQ.	50mm	8	25	6150 / BOLT
BT100AD41		100mm	8	75	
BT150AD41		150mm	8	125	



FOR 3/8" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50AD83	3/8"SQ.	50mm	12.3	25	6150 / STEEL BALL
65AD83		65mm	12.3	40	
150AD83		150mm	12.3	125	
BT50AD83		50mm	12.3	25	6150 / BOLT
BT65AD83		65mm	12.3	40	



FOR 1/2" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
50AD21	1/2"SQ.	50mm	16.3	25	6150 / STEEL BALL
70AD21		70mm	16.3	45	
BT70AD21		70mm	16.3	45	6150 / BOLT

FLEXIBLE SOCKET ADAPTER

FOR 1/2" DR.SOCKET

STYLE NO.	SIZE	LENGTH	MATERIAL
FLX-21S	1/2"SQ X 1/2"DR	200mm	50BV30

FLEXIBLE SOCKET ADAPTER

FOR 1/4" & 3/8" DR.SOCKET

STYLE NO.	SIZE	LENGTH	MATERIAL
FLX-41S19	1/4"SQ X 1/4"DR	190mm	50BV30
FLX-41S30		300mm	
FLX-83XS	3/8"SQ X 3/8"DR	200mm	

FLEXIBLE BIT HOLDER

WITH PLATE RING / FOR 1/4" INSERT BITS

STYLE NO.	SIZE	LENGTH	MATERIAL
FLX-145	1/4" X 1/4"	145mm	50BV30
FLX-190		190mm	
FLX-300		300mm	



QUICK RELEASE / SUPER MAGNETISM

STYLE NO.	SIZE	LENGTH	MATERIAL
FLX-BL300N	1/4" X 1/4"	300mm	50BV30

PNEUMATIC COUPLER / BIT HOLDER



WITH "C" RING
FOR 1/4" INSERT BITS

STYLE NO.	SIZE	HEX HOLE	LENGTH	MATERIAL
BHS8341L	3/8"DR	1/4"	39mm	50BV30
BHS2141L	1/2"DR			



WITH PLATE RING
FOR 1/4" INSERT BITS

STYLE NO.	SIZE	HEX HOLE	LENGTH	MATERIAL
BHS4141	1/4"DR	1/4" (6.35mm)	25mm	50BV30
BHS8341	3/8"DR		29.5mm	
BHS2141	1/2"DR		37.5mm	



QUICK RELEASE
FOR 1/4" INSERT BITS

STYLE NO.	SIZE	HEX HOLE	LENGTH	MATERIAL
BLBHS4141N	1/4"DR	1/4" (6.35mm)	40mm	50BV30
BLBHS8341N	3/8"DR		42mm	
BLBHS2141N	1/2"DR		50mm	

TWO HOLE "L" KEY HANDLE



WITH PLATE RING / FOR 1/4" INSERT BITS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BH-L7	1/4"x1/4"	108.8	12.2	36.5	STEEL

MINI RATCHET HANDLE



FOR 1/4" DR.SOCKETS & 1/4" INSERT BITS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BH-R7	1/4"x1/4"	113mm	10.7	26.3	STEEL
BH-R7L		131mm	10.7	26.3	

SUPER DURABLE BIT HOLDER

WITH PLATE RING / FOR 1/4" INSERT BITS

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
42CNS41	1/4"HOLE X 1/4"SHANK	42mm	10.9	6150 CR-V
65CNS41		65mm		
100CNS41		100mm		
150CNS41		150mm		
200CNS41		200mm		
300CNS41		300mm		



2PC TYPE / WITH "U" RING / FOR 1/4" INSERT BITS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
60UBH	1/4"x1/4"	60mm	10	35	STEEL

MAGNETIC BIT HOLDER



1PC TYPE / WITH "C" RING / FOR 1/4" INSERT BITS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
UL50MBH	1/4"x1/4"	50mm	11	25	STAINLESS STEEL
UL54MBH		54mm	11	25	
UL60MBH		60mm	11	35	
UL75MBH		75mm	11	50	
UL100MBH		100mm	11	75	
UL150MBH		150mm	11	125	

MAGNETIC BIT HOLDER



2PC TYPE / FOR 1/4" INSERT BITS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
L41MBH	1/4"x1/4" "C"RING	41mm	11	25	6150 CR-V + STAINLESS
L50MBH		50mm	11	25	
L60MBH		60mm	11	35	
L75MBH		75mm	11	47	
L300MBH		300mm	11	47	
60MBH	1/4"x1/4"	60mm	10	35	6150 CR-V + STAINLESS
75MBH		75mm	10	47	
150MBH		150mm	10	47	
Z60MBH	1/4"x1/4"	60mm	10	35	ZINC ALLOY
A50MBH		50mm	10	25	ALUMINUM ALLOY
A60MBH		60mm	10	35	



SECURE CATCH TYPE / FOR 1/4" INSERT BITS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
CUL75MBH	1/4"x1/4"	75mm (3")	11	47	1PC STAINLESS
CL75MBH					CR-V + STAIN.



WITH "C" RING / FOR "YK" 440mm / DIN 7432-A7

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
YKL75MBH	1/4"xø7	75mm	11	50	CR-V + STAIN.

WITH "C" RING / SUPER MAGNETISM / DISOUTER STYLE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
DSL75MBH	1/4"x5/16"	75mm	11	50	CR-V + STAIN.



ADJUSTABLE COLLAR TYPE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
M60MBH	1/4"x1/4"	60mm	15	35	CR-V + STAIN.



PULL - BACKWARD

QUICK RELEASE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BL60MBH	1/4"x1/4"	60mm	15	35	6150 CR-V + STAINLESS
BL150MBH		150mm			

MAGNETIC BIT HOLDER



QUICK RELEASE
MAGNETIC LEVITATION
MICHELIN SLEEVE

PUSH - FORWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
RQL65MBHN	1/4"x1/4"	65mm	15.5	40	6150 CR-V + STAINLESS
RQL150MBHN		150mm			



QUICK RELEASE
MAGNETIC LEVITATION
MICHELIN SLEEVE

PULL - BACKWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
QL65MBHN	1/4"x1/4"	65mm	15.5	40	6150 CR-V + STAINLESS
QL150MBHN		150mm			



QUICK RELEASE
MAGNETIC LEVITATION
CALABASH SLEEVE

PUSH - FORWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
RQL65MBH	1/4"x1/4"	65mm	15.8	40	6150 CR-V + STAINLESS
RQL150MBH		150mm			



QUICK RELEASE
MAGNETIC LEVITATION
CALABASH SLEEVE

PULL - BACKWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	BRAND
QL65MBH	1/4"x1/4"	65mm	15.8	40	CR-V + STAIN.



QUICK RELEASE
MICHELIN SLEEVE

PUSH - FORWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
RBL60MBHN	1/4"x1/4"	60mm	14.7	35	CR-V + STAIN.



QUICK RELEASE
MICHELIN SLEEVE

PULL - BACKWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	BRAND
BL60MBHN	1/4"x1/4"	60mm	14.7	35	CR-V + STAIN.

SDS TYPE / MAGNETIC BIT HOLDER



WITH "C" RING / SUPER MAGNETISM

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
DL112MBH	SW1/4" X SDS	112mm	11	47	STAINLESS + SCS440
DL162MBH		162mm			
DL212MBH		212mm			
DL312MBH		312mm			



PULL - BACKWARD

QUICK RELEASE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
DBL100MBH	SW1/4" X SDS	100mm	14.7	35	STAINLESS + SCS440
DBL150MBH		150mm			
DBL200MBH		200mm			
DBL250MBH		250mm			
DBL300MBH		300mm			



PUSH - FORWARD

QUICK RELEASE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
DRBL100MBH	SW1/4" X SDS	100mm	14.7	35	STAINLESS + SCS440
DRBL150MBH		150mm			
DRBL200MBH		200mm			
DRBL250MBH		250mm			
DRBL300MBH		300mm			



QUICK RELEASE
MAGNETIC LEVITATION
MICHELIN SLEEVE

PULL - BACKWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
DQL105MBH	SW1/4" X SDS	105mm	15.5	40	STAINLESS + SCS440
DQL155MBH		155mm			
DQL205MBH		205mm			
DQL255MBH		255mm			
DQL305MBH		305mm			



QUICK RELEASE
MAGNETIC LEVITATION
MICHELIN SLEEVE

PUSH - FORWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
DRQL105MBH	SW1/4" X SDS	105mm	15.5	40	STAINLESS + SCS440
DRQL155MBH		155mm			
DRQL205MBH		205mm			
DRQL255MBH		255mm			
DRQL305MBH		305mm			

MAGNETIC BIT HOLDER SOCKET



QUICK RELEASE
MAGNETIC LEVITATION
MICHELIN SLEEVE

← PUSH - FORWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
RQLBHS41N	1/4"x1/4"DR	68mm	15.5	40	STAINLESS STEEL + CR-V
RQLBHS83N	1/4"x3/8"DR	70mm			



QUICK RELEASE
MAGNETIC LEVITATION
MICHELIN SLEEVE

→ PULL - BACKWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
QLBHS41N	1/4"x1/4"DR	68mm	15.5	40	STAINLESS STEEL + CR-V
QLBHS83N	1/4"x3/8"DR	70mm			



QUICK RELEASE
MICHELIN SLEEVE

← PUSH - FORWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
RBLBHS41N	1/4"x1/4"DR	63mm	14.7	35	STAINLESS STEEL + CR-V
RBLBHS83N	1/4"x3/8"DR	65mm			



QUICK RELEASE
MICHELIN SLEEVE

→ PULL - BACKWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BLBHS41N	1/4"x1/4"DR	63mm	14.7	35	STAINLESS STEEL + CR-V
BLBHS83N	1/4"x3/8"DR	65mm			



QUICK RELEASE
MAGNETIC LEVITATION
CALABASH SLEEVE

← PUSH - FORWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
RQLBHS41	1/4"x1/4"DR	68mm	15.8	40	STAINLESS STEEL + CR-V
RQLBHS83	1/4"x3/8"DR	70mm			

MAGNETIC BIT HOLDER SOCKET



QUICK RELEASE
MAGNETIC LEVITATION
CALABASH SLEEVE

→ PULL - BACKWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
QLBHS41	1/4"x1/4"DR	68mm	15.8	40	STAINLESS STEEL + CR-V
QLBHS83	1/4"x3/8"DR	70mm			



DIA.11mm STAINLESS STEEL
WITH " C " RING

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
LBHS41	1/4"x1/4"DR	63mm	11	35	STAINLESS STEEL + CR-V
LBHS83	1/4"x3/8"DR	65mm			



SECURE CATCH TYPE
FOR 1/4" INSERT BITS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
CLBHS41	1/4"x1/4"DR	63mm	11	35	STAINLESS STEEL + CR-V
CLBHS83	1/4"x3/8"DR	65mm			



QUICK RELEASE

→ PULL - BACKWARD

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BLBHS41	1/4"x1/4"DR	63mm	15	35	STAINLESS STEEL + CR-V
BLBHS83	1/4"x3/8"DR	65mm			



ADJUSTABLE COLLAR TYPE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
MBHS41	1/4"x1/4"DR	63mm	15	35	STAINLESS STEEL + CR-V
MBHS83	1/4"x3/8"DR	65mm			

2PC TYPE / DEEP HOLE NUT SETTER



JAPANESS B45 / HIGH TORQUE / FOR IMPACT WRENCH

STYLE NO.	SW	LENGTH	Ø d	ℓ mm	MATERIAL
100DNS8	8mm	100mm (4")	13	50	S2 mix 6150 CR-V
100DNS10	10mm		15	50	
100DNS11	11mm		16	50	
100DNS12	12mm		17.5	50	
100DNS13	13mm		19	50	
100DNS14	14mm		20	50	
100DNS41	1/4"		11	50	
100DNS165	5/16"		13	50	
100DNS83	3/8"		15	50	
100DNS167	7/16"		16	50	
100DNS169	9/16"		20	50	
150DNS8	8mm	150mm (6")	13	50	
150DNS10	10mm		15	50	
150DNS11	11mm		16	50	
150DNS12	12mm		17.5	50	
150DNS13	13mm		19	50	
150DNS14	14mm		20	50	
150DNS41	1/4"		11	50	
150DNS165	5/16"		13	50	
150DNS83	3/8"		15	50	
150DNS167	7/16"		16	50	
150DNS169	9/16"		20	50	



JAPANESS A20 / HIGH TORQUE / FOR IMPACT WRENCH

STYLE NO.	SW	LENGTH	Ø d	ℓ mm	MATERIAL
J110DNS8	8mm	110mm (4 3/8")	13	50	S2 mix 6150 CR-V
J110DNS10	10mm		15	50	
J110DNS11	11mm		16	50	
J110DNS12	12mm		17.5	50	
J110DNS13	13mm		19	50	
J110DNS14	14mm		20	50	
J110DNS41	1/4"		11	50	
J110DNS165	5/16"		13	50	
J110DNS83	3/8"		15	50	
J110DNS167	7/16"		16	50	
J110DNS169	9/16"		20	50	
J150DNS8	8mm	150mm (6")	13	50	
J150DNS10	10mm		15	50	
J150DNS11	11mm		16	50	
J150DNS12	12mm		17.5	50	
J150DNS13	13mm		19	50	
J150DNS14	14mm		20	50	
J150DNS41	1/4"		11	50	
J150DNS83	3/8"		15	50	

2PC TYPE / DEEP HOLE NUT SETTER



WITH PLATE RING / FOR SCREWS OF ALL MATERIALS

STYLE NO.	SW	LENGTH	Ø d	ℓ mm	MATERIAL
100CDNS8	8mm	100mm	13	50	S2 mix 6150 CR-V
100CDNS83	3/8"		15	50	

NON MAGNETIC NUT SETTER



SPECIAL HOLE / 12-ANGLE

STYLE NO.	SW	LENGTH	Ø dmm	MATERIAL
12ANG167	7/16"	65mm	15.7	6150 CR-V



WITH PLATE RING / FOR SCREWS OF ALL MATERIALS

STYLE NO.	SW	LENGTH	Ø dmm	MATERIAL
42CNS41	1/4"	42mm (1 5/8")	10.9	6150 CR-V
42CNS165	8 , 5/16"		12.8	
48CNS83	3/8"	48mm (1 7/8")	14.2	
48CNS167	11 , 7/16"		15.7	
55CNS8	8 , 5/16"	55mm (2 3/16")	12.8	
55CNS10	10mm		15	
55CNS13	13mm		19	
65CNS41	1/4"	65mm (2 9/16")	10.9	
65CNS165	8 , 5/16"		12.8	
65CNS83	3/8"		14.2	
65CNS10	10mm		15	
65CNS167	11 , 7/16"		15.7	
100CNS41	1/4"	100mm (4")	10.9	
100CNS165	8 , 5/16"		12.8	
100CNS83	3/8"		14.2	
150CNS41	1/4"	150mm (6")	10.9	
150CNS165	8mm (5/16")		12.8	
S43CNS165		43mm	12.7	S2
S61CNS165		61mm		
S61CNS83	3/8"		15.80	



DEEP HOLE TYPE

STYLE NO.	SW	LENGTH	Ø d	ℓ mm	MATERIAL
100DND7	7mm	100mm (4")	12	25	6150 CR-V
100DND8	8 , 5/16"		12.8	25	
100DND10	10mm		15	25	
100DND41	1/4"		10.9	25	
100DND83	3/8"		14.2	25	
100DND167	11 , 7/16"		15.7	25	

MAGNETIC NUT SETTER



FALL PREVENTION DESIGN MAGNET

STYLE NO.	SW	LENGTH	Ø d	ℓ mm	MATERIAL
42MNS8	8mm	42mm	12.8	3.5	6150 CR-V
48MNS11	11 ,7/16"	48mm	14.2	3.8	
55MNS4	4mm	55mm (2 3/16")	7.8	2.3	
55MNS5	5mm		9	2.9	
55MNS55	5.5mm		10	2.9	
55MNS6	6mm		10.3	2.9	
55MNS7	7mm		12	2.9	
55MNS8	8mm		12.8	3.5	
55MNS9	9mm		13.9	3.8	
55MNS10	10mm		15	3.8	
55MNS11	11 ,7/16"		15.7	4.2	
55MNS12	12mm		16.8	4.5	
55MNS13	13mm		19	6	
65MNS8	8mm	65mm (2 9/16")	12.8	3.5	
65MNS10	10mm		15	3.8	
65MNS11	11 ,7/16"		15.7	4.2	
65MNS14	14 ,9/16"		20	7	
65MNS15	15mm		23.6	8.3	
65MNS16	16 , 5/8"		23.6	9	
65MNS17	17mm		23.6	9.8	
100MNS8	8mm (5/16")	100mm	12.8	3.5	
150MNS8		150mm			
200MNS8		200mm			
300MNS8		300mm			

13-17mm TO APPLY 8mm BIG MAGNET & BIG BRASS PAD



PATENT / SHOCK BUFFER
TORSION STYLE / FALL PREVENTION DESIGN MAGNET

STYLE NO.	SW	LENGTH	Ø d	ℓ mm	MATERIAL
P-42MNS41	1/4"	42mm (1 5/8")	10.9	2.9	6150 CR-V
P-42MNS165	8 , 5/16"		12.8	3.5	
P-48MNS83	3/8"	48mm (1 7/8")	14.2	3.8	
P-48MNS167	11 ,7/16"		15.7	4.2	
P-65MSN41	1/4"	65mm (2 9/16")	10.9	2.9	
P-65MNS165	8 , 5/16"		12.8	3.5	
P-65MNS83	3/8"		14.2	3.8	
P-65MNS10	10mm		15	3.8	
P-65MNS167	11 ,7/16"		15.7	4.2	
P-100MNS41	1/4"	100mm (4")	10.9	2.9	
P-100MNS165	8 ,5/16"		12.8	3.5	
P-100MNS83	3/8"		14.2	3.8	
P-100MNS10	10mm		15	3.8	
P-150MNS41	1/4"	150mm (6")	10.9	2.9	
P-150MNS165	8 , 5/16"		12.8	3.5	
P-150MNS83	3/8"		14.2	3.8	
P-200MNS165	8mm (5/16")	200mm	12.8	3.5	
P-300MNS165		300mm			

MAGNETIC NUT SETTER



HIGH TORQUE / SUPER MAGNETISM

STYLE NO.	SW	LENGTH	Ø d	ℓ mm	MATERIAL
S43MNS165	8mm (5/16")	43mm	12.7	3.5	S2
S61MNS165		61mm (2 3/8")	12.7	3.5	
S61MNS83	3/8"		15.8	3.8	



FALL PREVENTION DESIGN MAGNET

STYLE NO.	SW	LENGTH	Ø d	ℓ mm	MATERIAL
42MNS41	1/4"	42mm (1 5/8")	10.9	2.9	6150 CR-V
42MNS165	5/16"		12.8	3.5	
48MNS83	3/8"	48mm (1 7/8")	14.2	3.8	
48MNS167	7/16"		15.7	4.2	
55MNS41	1/4"	55mm (2 3/16")	10.9	2.9	
55MNS165	5/16"		12.8	3.5	
55MNS83	3/8"		14.2	3.8	
55MNS167	7/16"		15.7	4.2	
65MNS41	1/4"	65mm (2 9/16")	10.9	2.9	
65MNS165	5/16"		12.8	3.5	
65MNS83	3/8"		14.2	3.8	
65MNS167	7/16"		15.7	4.2	
65MNS169	9/16"		20	7	
65MNS85	5/8"		23.6	9	
100MNS41	1/4"	100mm (4")	10.9	2.9	
100MNS165	5/16"		12.8	3.5	
100MNS83	3/8"		14.2	3.8	
150MNS41	1/4"	150mm (6")	10.9	2.9	
150MNS165	5/16"		12.8	3.5	
150MNS83	3/8"		14.2	3.8	
200MNS165	5/16"	200mm	12.8	3.5	
300MNS165		300mm			



FOR CONCRETE SCREW TOOL

STYLE NO.	SW	LENGTH	Ø d	ℓ mm	MATERIAL
32MND41	1/4"	32mm	12.7	6.1	50BV30
35MND165	8 , 5/16"	35mm	14	7.3	

MAGNETIC NUT SOCKET



HIGH TORQUE
FOR IMPACT WRENCH

STYLE NO.	SW	LENGTH	ℓ mm	MATERIAL
MNS83165	8 , 5/16"	38mm	3.5	50BV30

Corking ®

NON MAGNETIC NUT DRIVER



INSERT TYPE

STYLE NO.	SW	LENGTH	ℓmm	MATERIAL
37ND4	4mm	37mm (1 7/16")	5.5	50BV30
37ND5	5mm		6.3	
37ND55	5.5mm		6.8	
37ND6	6mm		7.3	
37ND7	7mm			
37ND8	8mm		8.3	
37ND9	9mm			
37ND10	10mm		9.3	
37ND11	11mm			
37ND12	12mm			
37ND13	13mm			
37ND325	5/32"	37mm (1 7/16")	5.5	50BV30
37ND163	3/16"		6.3	
37ND327	7/32"		6.8	
37ND41	1/4"		7.3	
37ND329	9/32"			
37ND165	5/16"		8.3	
37ND3211	11/32"			
37ND83	3/8"		9.3	
37ND167	7/16"			
37ND21	1/2"			



POWER TYPE

STYLE NO.	SW	LENGTH	ℓmm	MATERIAL
37ND4R	4mm	37mm (1 7/16")	5.5	50BV30
37ND5R	5mm		6.3	
37ND55R	5.5mm		6.8	
37ND6R	6mm		7.3	
37ND7R	7mm			
37ND8R	8mm		8.3	
37ND9R	9mm			
37ND10R	10mm		9.3	
37ND11R	11mm			
37ND12R	12mm			
37ND13R	13mm			
37ND325R	5/32"	37mm (1 7/16")	5.5	50BV30
37ND163R	3/16"		6.3	
37ND327R	7/32"		6.8	
37ND41R	1/4"		7.3	
37ND329R	9/32"			
37ND165R	5/16"		8.3	
37ND3211R	11/32"			
37ND83R	3/8"		9.3	
37ND167R	7/16"			
37ND21R	1/2"			

MINIMUM ORDER EACH ITEM 3000pcs

WING NUT DRIVER



HURRICANE
HIGH EFFICIENCY / FOR WING NUT

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
WND-2	1/4"-20	2 7/16"	12.6	30	50BV30

EYE LAG SCREW DRIVER



HIGH EFFICIENCY / PP-PLASTIC CASING / FOR EYE LAG SCREW

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
ELSD-2	DIA10.8	2 5/8"	6.3	20	50BV30

SIDEWALK SLOTTED DRIVER



HIGH EFFICIENCY FINDER STYLE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
SWBD-2	SL15	3 7/16"	15.6	4.5	6150 CR-V

ELECTRIC DOUBLE ENDED BITS



6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
D50T10	T10	50mm (2")	3.2	11	S2 A-2
D50T15	T15		3.5	11	
D50T20	T20		4.2	11	
D50T25	T25		4.6	11	
D50T27	T27		5.3	11	
D50T30	T30		5.8	11	
D50T40	T40		7.2	11	
D100T10	T10	100mm (4")	3.2	11	
D100T15	T15		3.5	11	
D100T20	T20		4.2	11	
D100T25	T25		4.6	11	
D100T27	T27		5.3	11	
D100T30	T30		5.8	11	
D100T40	T40		7.2	11	



PHILLIPS+SLOTTED

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
D50PS2	PH2 X SL6mm	50mm	6	11	S2 & A-2
D100PS2		100mm			

※ A-2 / PH2 BIT / 50-100% LIFE UP

DISTINGUISHABLE COLOR / DOUBLE BIT



PATENT / GREATLY FITS SCREWS / 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	MATERIAL
N-D50T10A	T10	50mm (2")	7mm (1/4" HEX)	A-2
N-D50T15A	T15			
N-D50T20A	T20			
N-D50T25A	T25			
N-D50T30A	T30			
N-D50T40A	T40			

※ A-2 / T25 BIT / 25-40% LIFE UP



PATENT / SHOCK BUFFER / TORSION PHILLIPS / A14

STYLE NO.	SIZE	LENGTH	Ø d	MATERIAL
N-A65PH2A	PH2	65mm	7mm (1/4" HEX)	A-2
N-A85PH2A		85mm		
N-A110PH2A		110mm		
N-A150PH2A		150mm		
N-A200PH2A		200mm		

※ A-2 / PH2 TORSION BIT / 70-120% LIFE UP



PATENT / SHOCK BUFFER / TORSION PHILLIPS / B43

STYLE NO.	SIZE	LENGTH	Ø d	MATERIAL
N-B65PH2A	PH2	65mm	7mm (1/4" HEX)	A-2
N-B85PH2A		85mm		
N-B110PH2A		110mm		
N-B150PH2A		150mm		

DISTINGUISHABLE COLOR / POWER BIT



PATENT / GREATLY FITS SCREWS / 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	MATERIAL
N-50T10A	T10	50mm (2")	7mm (1/4" HEX)	A-2
N-50T15A	T15			
N-50T20A	T20			
N-50T25A	T25			
N-50T30A	T30			
N-50T40A	T40			
N-50T50A	T50		9.2mm	

EASY TO TARGET / DOUBLE ENDED BIT

PATENT / SLIM HEAD PHILLIPS / 1/4" SHANK / A14

STYLE NO.	SIZE	LENGTH	Ø d	MATERIAL
S-A65PH2R	PH2	65mm	4.6mm (1/4" HEX)	S2 & A-2
S-A85PH2R		85mm		
S-A110PH2R		110mm		



PATENT / SHOCK BUFFER / TORSION SLIM HEAD PHILLIPS / A14

STYLE NO.	SIZE	LENGTH	Ø d	MATERIAL
N-A65PH2RA	PH2A	65mm	4.6mm (1/4" HEX)	A-2
N-A85PH2RA		85mm		
N-A110PH2RA		110mm		

※ A-2 / PH2 TORSION BIT / 50-80% LIFE UP

MULTI-FUNCTION / EXTENSION SOCKET FOR BIT & NUT





PATENT



Instead of taking off the bit on power tool,connect this extension socket to the bit in correct size and direction, this junction will become a nut driver or a bit holder extension.

STYLE NO.	HEX HOLE (AXB)	MATERIAL
P-BHS1008	10mmX8mm	50BV30
P-BHS83165	3/8"X5/16"	
P-BHS16541	5/16"X1/4"	

DOUBLE ENDED BITS / JAPANESE SIZE



6.35mm SHANK / PHILLIPS / A14

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
A45PH1	NO.1	45mm	7	S2 & A-2
A45PH2	NO.2			
A45PH3	NO.3			
A65PH1	NO.1	65mm	7	
A65PH2	NO.2			
A65PH3	NO.3			
A75PH2	NO.2	75mm	7	
A100PH2		100mm		
A110PH1	NO.1	110mm	7	
A110PH2	NO.2			
A110PH3	NO.3			
A150PH1	NO.1	150mm	7	
A150PH2	NO.2			
A150PH3	NO.3			
A200PH2	NO.2	200mm	7	
A300PH2		300mm		
A400PH2		400mm		

※ A-2 / PH2 BIT / 50-100% LIFE UP



PATENT / SHOCK BUFFER / TORSION PHILLIPS / A14

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
P-A65PH1A	NO.1	65mm	7	A-2
P-A65PH2A	NO.2			
P-A65PH3A	NO.3			
P-A75PH2A	NO.2	75mm	7	
P-A85PH2A		85mm		
P-A110PH2A		110mm		
P-A110PH3A	NO.3			
P-A150PH2A	NO.2	150mm	7	
P-A150PH3A	NO.3			

※ A-2 / PH2 TORSION BIT / 80-130% LIFE UP



6.35mm SHANK / PHILLIPS+SLOTTED / A14

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
A65PS2	PH2 X SL6	65mm	6	11.5	S2 & A-2
A110PS2		110mm			
A150PS2		150mm			

6.35mm SHANK / POSIDRIV / A14

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
A65PZ2	NO.2	65mm	7	S2 & A-2
A110PZ2		110mm		

DOUBLE ENDED BITS / JAPANESE SIZE



PATENT / SHOCK BUFFER / TORSION POSIDRIV / A14

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
P-A65PZ2A	NO.2	65mm	7	A-2
P-A110PZ2A		110mm		
P-A150PZ2A		150mm		
P-A200PZ2A		200mm		



6.35mm SHANK / SLOTTED / A14

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
A65SL4	4mm	65mm	4	11.5	S2 & A-2
A65SL5	5mm		5	11.5	
A65SL6	6mm		6	11.5	
A65SL7	7mm		7	11.5	

6.35mm SHANK / ROBERTSON SQUARE / A14

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
A65RS2	NO.2	65mm	4.5	9	S2 & A-2
A65RS3	NO.3		5.2	9	
A110RS2	NO.2	110mm	4.5	9	
A110RS3	NO.3		5.2	9	
A150RS2	NO.2	150mm	4.5	9	
A150RS3	NO.3		5.2	9	

6.35mm SHANK / PHILLIPS / B43

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
B50PH1	NO.1	50mm	7	S2 & A-2
B50PH2	NO.2			
B50PH3	NO.3			
B75PH1	NO.1	75mm	7	
B75PH2	NO.2			
B75PH3	NO.3			
B100PH1	NO.1	100mm	7	
B100PH2	NO.2			
B100PH3	NO.3			
B150PH1	NO.1	150mm	7	
B150PH2	NO.2			
B150PH3	NO.3			
B200PH1	NO.1	200mm	7	
B200PH2	NO.2			
B200PH3	NO.3			
B300PH2	NO.2	300mm		
B400PH2		400mm		

※ A-2 / PH2 BIT / 50-100% LIFE UP

DOUBLE ENDED BITS / JAPANESE SIZE



PATENT / SHOCK BUFFER / TORSION PHILLIPS / B43

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
P-B75PH1A	NO.1	75mm	7	A-2
P-B75PH2A	NO.2			
P-B75PH3A	NO.3			
P-B100PH2A	NO.2	100mm	7	
P-B100PH3A	NO.3			
P-B150PH2A	NO.2	150mm	7	
P-B150PH3A	NO.3			
P-B200PH2A	NO.2	200mm	7	
P-B200PH3A	NO.3			

※ A-2 / PH2 TORSION BIT / 80-130% LIFE UP

5mm SHANK / PHILLIPS / B36

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
C70PH1	NO.1	70mm	5.6	S2
C70PH2	NO.2			A-2
C100PH1	NO.1	100mm		
C100PH2	NO.2			
C150PH1	NO.1	150mm	5.6	
C150PH2	NO.2			
C200PH1	NO.1	200mm		
C200PH2	NO.2			



PATENT / SHOCK BUFFER / TORSION PHILLIPS / B36

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
P-C70PH2A	NO.2	70mm	5.6	A-2
P-C100PH2A		100mm		
P-C150PH2A		150mm		
P-C200PH2A		200mm		



8mm SHANK / PHILLIPS / A15

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
A865PH2	NO.2	65mm	9.1	S2
A865PH3	NO.3			A-2
A8110PH2	NO.2	110mm		
A8110PH3	NO.3			
A8150PH2	NO.2	150mm	9.1	
A8150PH3	NO.3			
A8200PH2	NO.2	200mm		
A8200PH3	NO.3			

※ A-2 / PH2 BIT / 50-100% LIFE UP

DOUBLE ENDED BITS / JAPANESE SIZE



PATENT / SHOCK BUFFER / TORSION PHILLIPS / A15

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
P-A865PH2A	NO.2	65mm	9.1	A-2
P-A865PH3A	NO.3			
P-A8110PH2A	NO.2	110mm		
P-A8110PH3A	NO.3			
P-A8150PH2A	NO.2	150mm	9.1	
P-A8150PH3A	NO.3			
P-A8200PH2A	NO.2	200mm		
P-A8200PH3A	NO.3			

COMPLEX 2 GROOVE / JAPANESE SIZE

6.35 HEX SHANK / PHILLIPS / A14 mix B43

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
AB65PH2	NO.2	65mm	7	S2 & A-2
AB110PH2		110mm		

GREATLY FITS SCREWS / 6 LOBE STAR / A16 mix B35

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
JD65T6A	T6	65mm	2.5	11	A-2
JD65T8A	T8		2.9	11	
JD65T10A	T10		3.2	11	
JD65T15A	T15		3.5	11	
JD65T20A	T20		4.2	11	
JD65T25A	T25		4.6	11	
JD65T27A	T27		5.3	11	
JD65T30A	T30		5.8	11	
JD65T40A	T40		7	11	

※ A-2 / T25 BIT / 25-40% LIFE UP



6.35 mm SHANK / TAMPERPROOF 6 LOBE STAR / A16 mix B35

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
JD65TT6	TT6	65mm	2.5	11	S2
JD65TT8	TT8		2.9	11	A-2
JD65TT10	TT10		3.2	11	
JD65TT15	TT15		3.5	11	
JD65TT20	TT20		4.2	11	
JD65TT25	TT25		4.6	11	
JD65TT27	TT27		5.3	11	
JD65TT30	TT30		5.8	11	
JD65TT40	TT40		7	11	

COMPLEX 2 GROOVE / JAPANESE SIZE



PATENT / SHOCK BUFFER / TORSION PHILLIPS / A14 mix B43

STYLE NO.	SIZE	LENGTH	Ø dmm	MATERIAL
P-AB65PH2A	NO.2	65mm	7	A-2
P-AB110PH2A		110mm	7	

※ A-2 / PH2 TORSION BIT / 80-130% LIFE UP



HEX / A16 mix B35

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
JD65H2	2mm	65mm	2.8	9	S2 A-2
JD65H25	2.5mm		3	9	
JD65H3	3mm		3.5	9	
JD65H4	4mm		4.7	9	
JD65H5	5mm		5.7	9	
JD65H6	6mm		7	9	

※ A-2 / H5mm BIT / 20-40% LIFE UP

TAMPERPROOF HEX / A16 mix B35

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
JD65HT2	2mm	65mm	2.8	9	S2 A-2
JD65HT25	2.5mm		3	9	
JD65HT3	3mm		3.5	9	
JD65HT4	4mm		4.7	9	

1/4" HEX SHANK / JAPANESE SIZE



PHILLIPS / A16

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
J65PH1R	NO.1	65mm	3.5	30	S2 A-2
J65PH2R	NO.2		4.5	30	
J100PH2R		100mm	4.5	65	

BALL POINT HEX / A16

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
J75HB2	2mm	75mm	3	21	S2 A-2
J75HB25	2.5mm		3.5	21	
J75HB3	3mm		4	21	
J75HB4	4mm		5	21	
J75HB5	5mm		6	21	
J75HB6	6mm		7.2	21	

5mm HEX SHANK / JAPANESE SIZE



6 LOBE STAR / B34

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
JC60T10	T10	60mm	4	25	S2 A-2
JC75T5	T5	75mm	2.5	40	
JC75T6	T6		3	40	
JC75T8	T8		3.5	40	
JC75T10	T10		4	40	
JC100T10		100mm	4	65	

※ A-2 / T25 BIT / 25-40% LIFE UP



TAMPERPROOF 6 LOBE STAR / B34

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
JC75TT10	TT10	75mm	4	40	S2 A-2
JC75TT15	TT15		4.5	40	
JC75TT20	TT20		5	40	
JC75TT25	TT25		5.5	40	
JC100TT10	TT10	100mm	4	65	
JC100TT20	TT20		5	65	



PHILLIPS / B34

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
JC70PH1	NO.1	70mm	3.5	35	S2 A-2
JC70PH2	NO.2		4.5	35	
JC100PH2		100mm	4.5	35	



HEX / B34

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
JC70H2	2mm	70mm	3	35	S2 A-2
JC70H25	2.5mm		3.5	35	
JC70H3	3mm		4	35	
JC70H4	4mm		5	35	
JC70H5	5mm		5	35	



TAMPERPROOF HEX / B34

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
JC70HT2	2mm	70mm	3	35	S2 A-2
JC70HT25	2.5mm		3.5	35	
JC70HT3	3mm		4	35	
JC70HT4	4mm		5	35	
JC70HT5	5mm		5	35	

NUT SETTER / JAPANESE SIZE



FALL PREVENTION DESIGN MAGNET/ A20

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
J55MNS4	4mm	55mm	7.8	2.3	6150 CR-V
J55MNS5	5mm		9	2.9	
J55MNS55	5.5mm		10	2.9	
J55MNS6	6mm		10.3	2.9	
J55MNS7	7mm		12	2.9	
J55MNS8	8mm		12.8	3.5	
J55MNS9	9mm		13.9	3.8	
J55MNS10	10mm		15	3.8	
J55MNS11	11,7/16"		15.7	4.2	
J55MNS12	12mm		16.8	4.5	
J55MNS13	13mm		19	6	
J55MNS41	1/4"		10.9	2.9	
J55MNS83	3/8"		14.2	3.8	
J65MNS8	8mm	65mm	12.8	3.5	
J65MNS10	10mm		15	3.8	
J65MNS15	15mm		23.5	8.3	
J65MNS16	16,5/8"		23.5	9	
J65MNS17	17mm		23.5	9.8	
J65MNS41	1/4"		10.9	2.9	
J65MNS83	3/8"		14.2	3.8	
J100MNS41	1/4"	100mm	10.9	2.9	6150 CR-V
J100MNS8	8mm		12.8	3.5	
J100MNS83	3/8"		14.2	3.8	
J150MNS41	1/4"	150mm	10.9	2.9	
J150MNS8	8mm		12.8	3.5	
J150MNS83	3/8"		14.2	3.8	
J200MNS8	8mm (5/16")	200mm	12.8	3.5	
J300MNS8		300mm			

BIG 8mm MAGNET & BIG BRASS PAD are used on MNS13-MNS17



WITH PLATE RING / FOR SCREWS OF ALL MATERIALS / A20

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
J48CNS11	11,7/16"	48mm	15.7	12	6150 CR-V
J55CNS8	8mm	55mm	12.8	13	
J55CNS10	10mm		15	12.5	
J55CNS13	13mm		19	11.5	
J55CNS41	1/4"		10.9	13	
J55CNS83	3/8"		14.2	12.5	
J65CNS8	8mm	65mm	12.8	13	
J65CNS10	10mm		15	12.5	
J65CNS11	11,7/16"		15.7	12	
J65CNS41	1/4"		10.9	13	
J65CNS83	3/8"		14.2	12.5	
J100CNS8	8mm (5/16")	100mm	12.8	13	
J150CNS8		150mm			
J200CNS8		200mm			
J300CNS8		300mm			

ELECTRIC PRECISION NUT SETTER



FALL PREVENTION DESIGN MAGNET/ D76

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
555MNS4	4mm	55mm	7.8	2.3	6150 CR-V
555MNS5	5mm		9	2.9	
555MNS55	5.5mm		10	2.9	
555MNS6	6mm		10.3	2.9	
555MNS7	7mm		12	2.9	
555MNS8	8mm		12.8	3.5	
555MNS9	9mm		13.9	3.8	
555MNS10	10mm		15	3.8	
555MNS41	1/4"		10.9	2.9	
555MNS83	3/8"		14.2	3.8	

PRECISION BIT HOLDER / 3mm



FOR 3mm HEX SHANK BITS / D76

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
550BH3	3mm	50mm	5.8	12.7	6150 CR-V



FOR 3mm HEX SHANK BITS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
350BH3	3mm	50mm	5.8	12.7	6150 CR-V

PRECISION SCREWDRIVER BIT

FOR 3mm PRECISION BIT HOLDER

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
328PH00	NO.00	28mm	2.0	7	6150 CR-V & S2
328PH0	NO.0		2.9	7	
350PH0		50mm	2.9	7	
350PH1	NO.1		3.4	7	

FOR 3mm PRECISION BIT HOLDER

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
328T5	T5	28mm	1.6	7	6150 CR-V & S2
328T6	T6		1.85	7	
328T8	T8		2.5	7	
350T6	T6	50mm	1.85	7	
350T8	T8		2.5	7	

PRECISION SCREWDRIVER BIT

FOR 3mm PRECISION BIT HOLDER

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
328SL15	1.5mm	28mm	1.5	7	6150 CR-V & S2
328SL2	2mm		2	7	
328SL3	3mm		3	7	
350SL15	1.5mm	50mm	1.5	7	
350SL2	2mm		2	7	
350SL3	3mm		3	7	

ELECTRIC PRECISION HOIS BIT



4mm SHANK PHILLIPS / JAPANESE D73

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
440PH00R	NO.00	40mm	1.3	20	S2
			1.5	20	
			1.7	20	
440PH00			2.0	20	
440PH0R	NO.0		1.5	20	
			1.7	20	
			2.0	20	
440PH0			2.5	20	
440PH1R	NO.1		3.0	20	S2 & A-2
440PH1			4.0	20	
440PH2	NO.2		4.0	20	
460PH00R	NO.00	60mm	1.3	20	S2
			1.5	20	
			1.7	20	
460PH00			2.0	20	
460PH0R	NO.0		1.7	20	
			2.0	20	
460PH0			2.5	20	
460PH1R	NO.1		3.0	20	S2 & A-2
460PH1			4.0	20	
460PH2	NO.2		4.0	20	



4mm SHANK HEX / JAPANESE D73

STYLE NO.	A / F	LENGTH	Ø d	ℓ mm	MATERIAL
440H15	1.5mm	40mm	2.0	20	S2
440H2	2mm		3.0	20	
440H25	2.5mm		3.0	20	
440H3	3mm		4.0	20	
460H15	1.5mm	60mm	2.0	20	
460H2	2mm		3.0	20	
460H25	2.5mm		3.0	20	
460H3	3mm		4.0	20	

ELECTRIC PRECISION HOIS BIT

GREATLY FITS SCREWS
4mm SHANK 6 LOBE STAR / JAPANESE D73

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
440T4A	T4	40mm	1.8	20	A-2
440T5A	T5		2.0	20	
440T6A	T6		2.5	20	
440T7A	T7		2.5	20	
440T8A	T8		3.0	20	
440T9A	T9		3.0	20	
440T10A	T10		3.0	20	
440T15A	T15		4.0	20	



4mm SHANK SLOTTED / JAPANESE D73

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
440SL2	2mm	40mm	2.0	20	S2
440SL25	2.5mm		2.5	20	
440SL3	3mm		3.0	20	
440SL4	4mm		4.0	20	



5mm SHANK PHILLIPS / JAPANESE D76

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
550PH00	NO.00	50mm	2.0	20	S2
550PH0	NO.0		2.5	20	
550PH1R	NO.1		3.0	20	S2 & A-2
550PH1			5.0	20	
550PH2	NO.2		5.0	20	
560PH00	NO.00	60mm	2.0	20	S2
560PH0	NO.0		2.5	25	
560PH1R	NO.1		3.0	30	S2 & A-2
560PH1			5.0	30	
560PH2	NO.2		5.0	30	
5100PH2		100mm	5.0	30	



5mm SHANK 6 LOBE STAR / JAPANESE D76

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
560T5	T5	60mm	2.0	20	S2
560T6	T6		2.5	20	
560T7	T7		2.5	20	A-2
560T8	T8		3.0	20	
560T10	T10		3.0	20	
560T15	T15		4.0	20	
580T10A	T10	80mm	3.3	25	A-2
5120T10A		100mm	3.3	30	

ELECTRIC PRECISION HOIS BIT



5mm SHANK HEX / JAPANESE D76

STYLE NO.	A / F	LENGTH	Ø d	ℓ mm	MATERIAL
560H2	2mm	60mm	3.0	20	S2
560H25	2.5mm		3.0	20	
560H3	3mm		4.0	20	A-2
560H4	4mm		5.0	20	

AUTO-REPAIR / IMPACT DRIVER BIT



5/16",8mm HEX SHANK / PHILLIPS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
832PH1	NO.1	32mm (1 1/4")	5.5	14	S2
832PH2	NO.2		6.7	14	
832PH3	NO.3		7	14	
832PH4	NO.4		9	14	
880PH1	NO.1	80mm (3 9/64")	5.5	14	A-2
880PH2	NO.2		6.7	14	
880PH3	NO.3		7	14	
880PH4	NO.4		9	14	

※A-2 / PH2 BIT / 50-100% LIFE UP



5/16",8mm HEX SHANK
PATENT / SHOCK BUFFER / TORSION PHILLIPS

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-880PH2A	NO.2	80mm (3 9/64")	6.7	14	A-2
P-880PH3A	NO.3		7	14	
P-880PH4A	NO.4		9	14	

※A-2 / PH2 TORSION BIT / 80-130% LIFE UP

5/16",8mm HEX SHANK / 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
832T20	T20	32mm (11/4")	4.2	14	S2
832T25	T25		4.6	14	
832T30	T30		5.8	14	
832T40	T40		6.8	14	
832T45	T45		8	14	
832T50	T50		9	14	
880T20	T20	80mm (3 9/64")	4.2	14	A-2
880T25	T25		4.6	14	
880T30	T30		5.8	14	
880T40	T40		6.8	14	
880T45	T45		8	14	
880T50	T50		9	14	

※A-2 / T25 BIT / 25-40% LIFE UP

AUTO-REPAIR / IMPACT DRIVER BIT

GREATLY FITS SCREWS
PATENT / SHOCK BUFFER / TORSION 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-880T20A	T20	80mm (3 9/64")	4.2	14	A-2
P-880T25A	T25		4.6	14	
P-880T30A	T30		5.8	14	
P-880T40A	T40		6.8	14	
P-880T45A	T45		8	14	
P-880T50A	T50		9	14	
P-880T55A	T55		11.3	14	

※A-2 / T25 TORSION BIT / 60-80% LIFE UP



5/16",8mm HEX SHANK / HEX

STYLE NO.	A / F	LENGTH	Ø d	ℓ mm	MATERIAL
832H3	3mm	32mm (1 1/4")	3.5	10	S2
832H4	4mm		4.7	10	
832H5	5mm		5.7	10	
832H6	6mm		7	10	
832H8	8mm		9.1	10	
880H3	3mm	80mm (3 9/64")	3.5	10	A-2
880H4	4mm		4.7	10	
880H5	5mm		5.7	10	
880H6	6mm		7	10	
880H8	8mm		9.1	10	

※A-2 / H5 BIT / 20-40% LIFE UP



PATENT / SHOCK BUFFER / TORSION HEX

STYLE NO.	A / F	LENGTH	Ø d	ℓ mm	MATERIAL
P-880H4A	4mm	80mm (3 9/64")	4.7	10	A-2
P-880H5A	5mm		5.7	10	
P-880H6A	6mm		7	10	
P-880H8A	8mm		9.1	10	
P-880H10A	10mm		11.3	10	

※A-2 / H5 TORSION BIT / 50-70% LIFE UP



5/16",8mm HEX SHANK
SLOTTED

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
832SL5	5mm	32mm	5	13	S2
832SL6	6mm		6	13	
832SL8	8mm		9	13	
832SL10	10mm		10	16	
880SL5	5mm	80mm	5	13	A-2
880SL6	6mm		6	13	
832SL8	8mm		9	13	

※A-2 / SL6 BIT / 20-40% LIFE UP

AUTO-REPAIR / IMPACT BIT & HOLDER



5/16",8mm HEX SHANK
PATENT / SHOCK BUFFER / TORSION SLOTTED

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-880SL5A	5mm	80mm	5	13	A-2
P-880SL6A	6mm		6	13	
P-880SL8A	8mm		8	13	
P-880SL10A	10mm		10	16	

※ A-2 / SL6 TORSION BIT / 60-85% LIFE UP

5/16",8mm HEX SHANK / 12 ANGLE SPLINE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
832SP4	M4	32mm (1 1/4")	3.9	14.5	S2
832SP5	M5		5.2	14	
832SP6	M6		6.2	14	
832SP8	M8		7.6	14	
832SP10	M10		10	16	
880SP4	M4	80mm (3 9/64")	3.9	14.5	A-2
880SP5	M5		5.2	14	
880SP6	M6		6.2	14	
880SP8	M8		7.6	14	



5/16",8mm HEX SHANK / TAMPERPROOF 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
832TT20	TT20	32mm	4.2	14	S2
832TT25	TT25		4.6	14	
832TT30	TT30		5.8	14	
832TT40	TT40		6.8	14	
832TT45	TT45		8	14	
832TT50	TT50		9	14	
832TT55	TT55		11.3	15	
880TT20	TT20	80mm	4.2	14	A-2
880TT25	TT25		4.6	14	
880TT30	TT30		5.8	14	
880TT40	TT40		6.8	14	
880TT45	TT45		8	14	
880TT50	TT50		9	14	



PNEUMATIC COUPLER
FOR 5/16", 8mm HEX SHANK BITS / QUICK RELEASE

STYLE NO.	DR	LENGTH	HEX HOLE	MATERIAL
BLBHS8308	3/8"DR	45mm	8mm,5/16"	50BV30
BLBHS2108	1/2"DR	50mm		

AUTO-REPAIR / IMPACT BIT & HOLDER



PNEUMATIC COUPLER
WITH PLATE RING
FOR 5/16",8mm HEX SHANK BIT

STYLE NO.	DR	LENGTH	HEX HOLE	MATERIAL
BHS8308	3/8"DR	28mm	8mm,5/16"	50BV30
BHS2108	1/2"DR	38mm		

PNEUMATIC COUPLER
HIGH TORQUE / WITH "C" RING
FOR 5/16",8mm HEX SHANK BIT

STYLE NO.	DR	LENGTH	HEX HOLE	MATERIAL
BHS8308L	3/8"DR	38mm	8mm,5/16"	50BV30
BHS2108L	1/2"DR			



WITH PLATE RING
FOR 5/16",8mm HEX SHANK BIT

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
65CNS8	5/16",8mm	65mm	12.8	14	6150 CR-V
150CNS8		150mm			



10mm HEX SHANK / 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
1030T30	T30	30mm	5.8	15	S2
1030T40	T40		6.8	15	
1030T45	T45		8	15	
1030T50	T50		9	15	
1030T55	T55		11.3	15	
1075T30	T30	75mm	5.8	15	A-2
1075T40	T40		6.8	15	
1075T45	T45		8	15	
1075T50	T50		9	15	
1075T55	T55		11.3	15	
1075T60	T60		13.5	17	

※ A-2 / T30 BIT / 25-40% LIFE UP



GREATLY FITS SCREWS
PATENT / SHOCK BUFFER / TORSION 6 LOBE STAR

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-1075T30A	T30	75mm	5.8	15	A-2
P-1075T40A	T40		6.8	15	
P-1075T45A	T45		8	15	
P-1075T50A	T50		9	15	
P-1075T55A	T55		11.3	15	
P-1075T60A	T60		13.5	17	

※ A-2 / T30 TORSION BIT / 50-70% LIFE UP

AUTO-REPAIR / IMPACT DRIVER BIT



10mm HEX SHANK / HEX

STYLE NO.	A / F	LENGTH	Ø d	ℓ mm	MATERIAL
1030H5	5mm	30mm	6	15	S2 A-2
1030H6	6mm		7.2	15	
1030H8	8mm		9.5	15	
1030H10	10mm		11.3	15	
1075H5	5mm	75mm	6	15	
1075H6	6mm		7.2	15	
1075H8	8mm		9.5	15	
1075H10	10mm		11.3	15	
1075H12	12mm		14	15	

※ A-2 / H5 BIT / 20-40% LIFE UP



10mm HEX SHANK
PATENT / SHOCK BUFFER / TORSION HEX

STYLE NO.	A / F	LENGTH	Ø d	ℓ mm	MATERIAL
P-1075H5A	5mm	75mm	6	15	A-2
P-1075H6A	6mm		7.2	15	
P-1075H8A	8mm		9.5	15	
P-1075H10A	10mm		11.3	15	
P-1075H12A	12mm		14	15	

※ A-2 / H5 TORSION BIT / 50-70% LIFE UP

10mm HEX SHANK / 12 ANGLE SPLINE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
1030SP5	M5	30mm	5.2	14	S2 A-2
1030SP6	M6		6.2	14	
1030SP8	M8		7.6	14	
1030SP10	M10		9.8	13.5	
1030SP12	M12		11.5	16	
1075SP5	M5	75mm	5.2	14	
1075SP6	M6		6.2	14	
1075SP8	M8		7.6	14	
1075SP10	M10		9.8	13.5	
1075SP12	M12		11.5	61	

※ A-2 / M8 BIT / 15-30% LIFE UP



10mm HEX SHANK
PATENT / SHOCK BUFFER / TORSION 12 ANGLE SPLINE

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-1075SP5A	M5	75mm	5.2	14	A-2
P-1075SP6A	M6		6.2	14	
P-1075SP8A	M8		7.6	14	
P-1075SP10A	M10		9.8	13.5	
P-1075SP12A	M12		11.5	16	

※ A-2 / M8 BIT / 45-60% LIFE UP

AUTO-REPAIR / IMPACT BIT HOLDER



WITH PLATE RING / FOR 10mm HEX SHANK BITS

STYLE NO.	SW	LENGTH	Ø d	ℓ mm	MATERIAL
65CNS10	10mm	65mm	15	12.5	6150 CR-V



PNEUMATIC COUPLER
WITH PLATE RING
FOR 10mm HEX SHANK BIT

STYLE NO.	DR	LENGTH	HEX HOLE	MATERIAL
BHS8310L	3/8"DR	38mm	10mm	50BV30
BHS2110L	1/2"DR			



PNEUMATIC COUPLER
WITH PLATE RING
FOR 10mm HEX SHANK BIT

STYLE NO.	DR	LENGTH	HEX HOLE	MATERIAL
BHS8310	3/8"DR	28mm	10mm	50BV30
BHS2110	1/2"DR	38mm		

AUTO-REPAIR / 2PC TYPE BIT SOCKET



1/4" HEX SHANK POSIDRIV mix 1/4" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS41PZ1	PZ1	37mm	5	11.5	S2 or A-2 BITS mix CR-V
BS41PZ2	PZ2		6	11.5	
BS41PZ3	PZ3				
BS41PZ4	PZ4		8	11.5	



1/4" HEX SHANK SLOTTED mix 1/4" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS41SL5	SL5mm	37mm	5	11.5	S2 or A-2 BITS mix CR-V
BS41SL6	SL6mm		6	11.5	
BS41SL7	SL7mm		7	11.5	
BS41SL8	SL8mm		8	11.5	



1/4" HEX SHANK PHILLIPS mix 1/4" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS41PH1	PH1	37mm	5	11.5	S2 or A-2 mix CR-V
BS41PH2	PH2		6	11.5	
BS41PH3	PH3				
BS41PH4	PH4		8	11.5	

※ A-2 / PH2 BIT SOCKET / 50-100% LIFE UP

AUTO-REPAIR / 2PC TYPE BIT SOCKET



1/4" HEX SHANK ROBERTSON SQUARE mix 1/4" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS41RS1	RS1	37mm	3.5	9	S2 or A-2 mix CR-V
BS41RS2	RS2		4.5	9	
BS41RS3	RS3		5.2	9	



1/4" HEX SHANK HEX mix 1/4" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS41H2	2mm	37mm	2.8	9	S2 or A-2 mix CR-V
BS41H25	2.5mm		3	9	
BS41H3	3mm		3.5	9	
BS41H4	4mm		4.7	9	
BS41H5	5mm		5.7	9	
BS41H6	6mm		7	9	
BS41H645	5/64"	37mm	2.8	9	
BS41H323	3/32"		3	9	
BS41H81	1/8"		3.5	9	
BS41H325	5/32"		4.7	9	
BS41H163	3/16"		5.7	9	
BS41H41	1/4"		7.2	9	



1/4" HEX SHANK 6 LOBE STAR mix 1/4" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS41T10	T10	37mm	3.2	11	S2 or A-2 mix CR-V
BS41T15	T15		3.5	11	
BS41T20	T20		4.2	11	
BS41T25	T25		4.6	11	
BS41T27	T27		5.3	11	
BS41T30	T30		5.8	11	
BS41T40	T40		7.2	11	
BS41T45	T45		8	12	



1/4" HEX SHANK TAMPERPROOF 6 LOBE STAR mix 1/4" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS41TT10	TT10	37mm	3.2	11	S2 or A-2 mix CR-V
BS41TT15	TT15		3.5	11	
BS41TT20	TT20		4.2	11	
BS41TT25	TT25		4.6	11	
BS41TT27	TT27		5.3	11	
BS41TT30	TT30		5.8	11	
BS41TT40	TT40		7.2	11	
BS41TT45	TT45		8	12	

※ A-2 BIT SOCKET / GREATLY FITS SCREWS

AUTO-REPAIR / 2PC TYPE BIT SOCKET



1/4" HEX SHANK TAMPERPROOF HEX mix 1/4" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS41HT2	2mm	37mm	2.8	9	S2 or A-2 mix CR-V
BS41HT25	2.5mm		3	9	
BS41HT3	3mm		3.5	9	
BS41HT4	4mm		4.7	9	
BS41HT5	5mm		5.7	9	
BS41HT6	6mm		7	9	
BS41HT645	5/64"	37mm	2.8	9	
BS41HT323	3/32"		3	9	
BS41HT81	1/8"		3.5	9	
BS41HT325	5/32"		4.7	9	
BS41HT163	3/16"		5.7	9	
BS41HT41	1/4"		7.2	9	



1/4" HEX SHANK BALL POINT HEX mix 1/4" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS41HB2	2mm	37mm	2.8	9	S2 or A-2 mix CR-V
BS41HB3	3mm		3.5	9	
BS41HB4	4mm		4.7	9	
BS41HB5	5mm		5.7	9	
BS41HB6	6mm		7	9	



5/16",8mm HEX SHANK PHILLIPS mix 3/8" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS83PH2	PH2	48mm	6.7	14	S2 or A-2 mix CR-V
BS83PH3	PH3		7	14	



5/16",8mm HEX SHANK 6 LOBE STAR mix 3/8" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS83T20	T20	48mm	4.2	14	S2 or A-2 mix CR-V
BS83T25	T25		4.6	14	
BS83T30	T30		5.8	14	
BS83T40	T40		6.8	14	
BS83T45	T45		8	14	
BS83T50	T50		9	14	
BS83T20L	T20	96mm	4.2	14	
BS83T25L	T25		4.6	14	
BS83T30L	T30		5.8	14	
BS83T40L	T40		6.8	14	
BS83T45L	T45		8	14	
BS83T50L	T50		9	14	

※ A-2 / T25 BIT SOCKET / 25-40% LIFE UP

AUTO-REPAIR / 2PC TYPE BIT SOCKET



5/16" ,8mm HEX SHANK HEX mix 3/8" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS83H3	3mm	48mm	3.5	10	S2 or A-2 mix CR-V
BS83H4	4mm		4.7	10	
BS83H5	5mm		5.7	10	
BS83H6	6mm		7	10	
BS83H8	8mm		9.1	10	
BS83H3L	3mm	96mm	3.5	10	
BS83H4L	4mm		4.7	10	
BS83H5L	5mm		5.7	10	
BS83H6L	6mm		7	10	
BS83H8L	8mm		9.1	10	
BS83H81	1/8"	48mm	3.7	10	
BS83H325	5/32"		4.7	10	
BS83H163	3/16"		5.7	10	
BS83H41	1/4"		7.2	10	
BS83H165	5/16"		9.1	10	
BS83H81L	1/8"	96mm	3.7	10	
BS83H325L	5/32"		4.7	10	
BS83H163L	3/16"		5.7	10	
BS83H41L	1/4"		7.2	10	
BS83H165L	5/16"		9.1	10	



5/16" 8mm HEX SHANK 12 ANGLE SPLINE mix 3/8" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS83SP4	M4	48mm	3.9	15	S2 or A-2 mix CR-V
BS83SP5	M5		5.2	15	
BS83SP6	M6		6.2	15	
BS83SP8	M8		7.6	15	
BS83SP10	M10		10	15	
BS83SP4L	M4	96mm	3.9	15	
BS83SP5L	M5		5.2	15	
BS83SP6L	M6		6.2	15	
BS83SP8L	M8		7.6	15	
BS83SP10L	M10		10	15	



5/16" 8mm HEX SHANK TAMPERPROOF 6 LOBE STAR mix 3/8" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS83TT30	TT30	48mm	5.8	14	S2 or A-2 mix CR-V
BS83TT40	TT40		6.8	14	
BS83TT45	TT45		8	14	
BS83TT50	TT50		9	14	
BS83TT40L	TT40	96mm	6.8	14	
BS83TT45L	TT45		8	14	
BS83TT50L	TT50		9	14	

※ A-2 BIT SOCKET / GREATLY FITS SCREWS

AUTO-REPAIR / 2PC TYPE BIT SOCKET



10mm HEX SHANK HEX mix 1/2" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS21H4	4mm	55mm	4.7	15	S2 or A-2 mix CR-V
BS21H5	5mm		6	15	
BS21H6	6mm		7.2	15	
BS21H8	8mm		9.5	15	
BS21H10	10mm		11.3	15	
BS21H4L	4mm	100mm	4.7	15	
BS21H5L	5mm		6	15	
BS21H6L	6mm		7.2	15	
BS21H8L	8mm		9.5	15	
BS21H10L	10mm		11.3	15	



10mm SHANK 12 ANGLE SPLINE mix 1/2" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS21SP4	M4	55mm	3.9	15	S2 or A-2 mix CR-V
BS21SP5	M5		5.2	15	
BS21SP6	M6		6.2	15	
BS21SP8	M8		7.6	15	
BS21SP10	M10		10	15	
BS21SP12	M12		11.5	15	
BS21SP4L	M4	100mm	3.9	15	
BS21SP5L	M5		5.2	15	
BS21SP6L	M6		6.2	15	
BS21SP8L	M8		7.6	15	
BS21SP10L	M10		10	15	



10mm SHANK 6 LOBE STAR mix 1/2" DR.SOCKET

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
BS21T25	T25	55mm	4.6	15	S2 or A-2 mix CR-V
BS21T27	T27		5.3	15	
BS21T30	T30		5.8	15	
BS21T40	T40		6.8	15	
BS21T45	T45		8	15	
BS21T50	T50		9	15	
BS21T55	T55		11.3	15	
BS21T60	T60		13.5	17	
BS21T25L	T25	100mm	4.6	15	
BS21T30L	T30		5.8	15	
BS21T40L	T40		6.8	15	
BS21T45L	T45		8	15	
BS21T50L	T50		9	15	
BS21T55L	T55		11.3	15	
BS21T60L	T60		13.5	17	

※ A-2 / T25 BIT SOCKET / 25-40% LIFE UP

AUTO-REPAIR / 1PC TYPE BIT SOCKET



HIGH TORQUE / HEX x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
UBS83H4	H4mm	62mm (2 7/16")	8	43	CR-MO
UBS83H5	H5mm				
UBS83H6	H6mm				
UBS83H7	H7mm		9	43	
UBS83H8	H8mm		11.5	43	
UBS83H10	H10mm				



GREATLY FITS SCREWS / HIGH TORQUE / 6 LOBE STAR x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
UBS83T20A	T20	62mm (2 7/16")	8	43	CR-MO
UBS83T25A	T25				
UBS83T27A	T27				
UBS83T30A	T30				
UBS83T40A	T40				
UBS83T45A	T45				
UBS83T50A	T50		9	43	
UBS83T55A	T55		11.5	43	
UBS83T60A	T60		13.6	43	



HIGH TORQUE / 12 ANGLE SPLINE x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
UBS83SP4	M4	62mm (2 7/16")	8	43	CR-MO
UBS83SP5	M5				
UBS83SP6	M6				
UBS83SP8	M8				
UBS83SP10	M10		11.5	43	
UBS83SP12	M12		13.6	43	
UBS83SP14	M14				



HIGH TORQUE / PHILLIPS x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
UBS83PH1	PH1	62mm (2 7/16")	8	43	CR-MO
UBS83PH2	PH2				
UBS83PH3	PH3				
UBS83PH4	PH4		9	43	

AUTO-REPAIR / 1PC TYPE BIT SOCKET



PATENT / SHOCK BUFFER / TORSION HEX x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-UBS83H4	H4mm	62mm (2 7/16")	8	43	CR-MO
P-UBS83H5	H5mm				
P-UBS83H6	H6mm				
P-UBS83H7	H7mm		9	43	
P-UBS83H8	H8mm		11.5	43	
P-UBS83H10	H10mm				



GREATLY FITS SCREWS / PATENT / SHOCK BUFFER / TORSION 6 LOBE STAR x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-UBS83T20A	T20	62mm (2 7/16")	8	43	CR-MO
P-UBS83T25A	T25				
P-UBS83T27A	T27				
P-UBS83T30A	T30				
P-UBS83T40A	T40				
P-UBS83T45A	T45				
P-UBS83T50A	T50		9	43	
P-UBS83T55A	T55		11.5	43	
P-UBS83T60A	T60		13.6	43	

※T25 TORSION BIT SOCKET / 20-40% LIFE UP



PATENT / SHOCK BUFFER / TORSION 12 ANGLE SPLINE x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-UBS83SP4	M4	62mm (2 7/16")	8	43	CR-MO
P-UBS83SP5	M5				
P-UBS83SP6	M6				
P-UBS83SP8	M8				
P-UBS83SP10	M10		11.5	43	
P-UBS83SP12	M12		13.6	43	
P-UBS83SP14	M14				



PATENT / SHOCK BUFFER / TORSION PHILLIPS x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-UBS83PH1	PH1	62mm (2 7/16")	8	43	CR-MO
P-UBS83PH2	PH2				
P-UBS83PH3	PH3				
P-UBS83PH4	PH4		9	43	

※PH2 TORSION BIT SOCKET / 20-40% LIFE UP

AUTO-REPAIR / 1PC TYPE BIT SOCKET



HIGH TORQUE / SLOTTED x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
UBS83SL5	5mm	62mm (2 7/16")	8	43	CR-MO
UBS83SL6	6mm				
UBS83SL8	8mm				
UBS83SL10	10mm		11.5	43	



HIGH TORQUE / POSIDRIV x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
UBS83PZ1A	PZ1	62mm (2 7/16")	8	43	CR-MO
UBS83PZ2A	PZ2				
UBS83PZ3A	PZ3				



HIGH TORQUE / ROBERTSON SQUARE x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
UBS83RS1	SQ1	62mm (2 7/16")	8	43	CR-MO
UBS83RS2	SQ2				
UBS83RS3	SQ3				



HIGH TORQUE / SLOTTED x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
UBS21SL6	6mm	78mm (3 1/16")	8	54	CR-MO
UBS21SL8	8mm				
UBS21SL10	10mm		11.5	54	
UBS21SL12	12mm		13.5	54	
UBS21SL14	14mm		15.8	54	



HIGH TORQUE / POSIDRIV x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
UBS21PZ2	PZ2	78mm (3 1/16")	8	54	CR-MO
UBS21PZ3	PZ3				
UBS21PZ4	PZ4		9	54	

AUTO-REPAIR / 1PC TYPE BIT SOCKET



PATENT
SHOCK BUFFER
TORSION SLOTTED x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-UBS83SL5	5mm	62mm (2 7/16")	8	43	CR-MO
P-UBS83SL6	6mm				
P-UBS83SL8	8mm				
P-UBS83SL10	10mm		11.5	43	



PATENT
SHOCK BUFFER
TORSION POSIDRIV x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-UBS83PZ2	PZ2	62mm (2 7/16")	8	43	CR-MO
P-UBS83PZ3	PZ3				

※ PZ2 TORSION BIT SOCKET / 20-40% LIFE UP



PATENT
SHOCK BUFFER
TORSION ROBERTSON SQUARE x 3/8" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-UBS83RS2	SQ2	62mm (2 7/16")	8	43	CR-MO
P-UBS83RS3	SQ3				



PATENT
SHOCK BUFFER
TORSION SLOTTED x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-UBS21SL6	6mm	78mm (3 1/16")	8	54	CR-MO
P-UBS21SL8	8mm				
P-UBS21SL10	10mm		11.5	54	
P-UBS21SL12	12mm		13.5	54	
P-UBS21SL14	14mm		15.8	54	

※ SL6 TORSION BIT SOCKET / 20-40% LIFE UP



PATENT
SHOCK BUFFER
TORSION ROBERTSON SQUARE x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓ mm	MATERIAL
P-UBS21RS2	SQ2	78mm (3 1/16")	8	54	CR-MO
P-UBS21RS3	SQ3				
P-UBS21RS4	SQ4		9	54	

AUTO-REPAIR / 1PC TYPE BIT SOCKET



HIGH TORQUE / HEX x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓmm	MATERIAL
UBS21H5	H5mm	78mm (3 1/16")	8	54	CR-MO
UBS21H6	H6mm				
UBS21H7	H7mm		9	54	
UBS21H8	H8mm		11.5	54	
UBS21H10	H10mm				
UBS21H12	H12mm		13.5	54	



HIGH TORQUE / GREATLY FITS SCREWS / 6 LOBE STAR x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓmm	MATERIAL
UBS21T25A	T25	78mm (3 1/16")	8	54	CR-MO
UBS21T30A	T30				
UBS21T40A	T40				
UBS21T45A	T45				
UBS21T50A	T50		9	54	
UBS21T55A	T55		11.5	54	
UBS21T60A	T60		13.5	54	
UBS21T70A	T70		15.8	54	
UBS21T80A	T80		19.5	54	



HIGH TORQUE / 12 ANGLE SPLINE x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓmm	MATERIAL
UBS21SP5	M5	78mm (3 1/16")	8	54	CR-MO
UBS21SP6	M6				
UBS21SP8	M8				
UBS21SP9	M9		11.5	54	
UBS21SP10	M10				
UBS21SP12	M12		13.5	54	
UBS21SP14	M14				
UBS21SP16	M16		15.8	54	



HIGH TORQUE / PHILLIPS x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓmm	MATERIAL
UBS21PH2	PH2	78mm (3 1/16")	8	54	CR-MO
UBS21PH3	PH3				
UBS21PH4	PH4		9	54	

AUTO-REPAIR / 1PC TYPE BIT SOCKET



PATENT / SHOCK BUFFER / TORSION HEX x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓmm	MATERIAL
P-UBS21H5	H5mm	78mm (3 1/16")	8	54	CR-MO
P-UBS21H6	H6mm				
P-UBS21H7	H7mm		9	54	
P-UBS21H8	H8mm		11.5	54	
P-UBS21H10	H10mm				
P-UBS21H12	H12mm		13.5	54	



GREATLY FITS SCREWS
PATENT / SHOCK BUFFER /TORSION 6 LOBE STAR x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓmm	MATERIAL
P-UBS21T25A	T25	78mm (3 1/16")	8	54	CR-MO
P-UBS21T30A	T30				
P-UBS21T40A	T40				
P-UBS21T45A	T45				
P-UBS21T50A	T50		9	54	
P-UBS21T55A	T55		11.5	54	
P-UBS21T60A	T60		13.5	54	
P-UBS21T70A	T70		15.8	54	
P-UBS21T80A	T80		19.5	54	

※ T25 TORSION BIT SOCKET / 20-40% LIFE UP



PATENT / SHOCK BUFFER / TORSION 12 ANGLE SPLINE x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓmm	MATERIAL
P-UBS21M5	M5	78mm (3 1/16")	8	54	CR-MO
P-UBS21M6	M6				
P-UBS21M8	M8				
P-UBS21M9	M9		11.5	54	
P-UBS21M10	M10				
P-UBS21M12	M12		13.5	54	
P-UBS21M14	M14				
P-UBS21M16	M16		15.8	54	



PATENT / SHOCK BUFFER / TORSION PHILLIPS x 1/2" DR.

STYLE NO.	SIZE	LENGTH	Ø d	ℓmm	MATERIAL
P-UBS21PH2	PH2	78mm (3 1/16")	8	54	CR-MO
P-UBS21PH3	PH3				
P-UBS21PH4	PH4		9	54	

※ PH2 TORSION BIT SOCKET / 20-40% LIFE UP

PNEUMATIC SUPER LOCK SOCKET



FOR 6 LOBE STAR HEAD SCREWS / "E" TYPE

STYLE NO.	SW	LENGTH	SIZE	MATERIAL
ES41-E4	E4	25mm	E4 X 1/4"	50BV30
ES41-E5	E5		E5 X 1/4"	
ES41-E6	E6		E6 X 1/4"	
ES41-E7	E7		E7 X 1/4"	
ES41-E8	E8		E8 X 1/4"	
ES41-E10	E10		E10 X 1/4"	
ES41-E11	E11		E11 X 1/4"	



FOR 6 LOBE STAR HEAD SCREWS / "E" TYPE

STYLE NO.	SW	LENGTH	SIZE	MATERIAL
ES21-E8	E8	38mm	E8 X 1/2"	50BV30
ES21-E10	E10		E10 X 1/2"	
ES21-E11	E11		E11 X 1/2"	
ES21-E12	E12		E12 X 1/2"	
ES21-E14	E14		E14 X 1/2"	
ES21-E16	E16		E16 X 1/2"	
ES21-E18	E18		E18 X 1/2"	
ES21-E20	E20		E20 X 1/2"	
ES21-E22	E22		E22 X 1/2"	
ES21-E24	E24		E24 X 1/2"	



FOR 6 LOBE STAR HEAD SCREWS / "E" TYPE

STYLE NO.	SW	LENGTH	SIZE	MATERIAL
ES83-E4	E4	28mm	E4 X 3/8"	50BV30
ES83-E5	E5		E5 X 3/8"	
ES83-E6	E6		E6 X 3/8"	
ES83-E7	E7		E7 X 3/8"	
ES83-E8	E8		E8 X 3/8"	
ES83-E10	E10		E10 X 3/8"	
ES83-E11	E11		E11 X 3/8"	
ES83-E12	E12		E12 X 3/8"	
ES83-E14	E14		E14 X 3/8"	
ES83-E16	E16		E16 X 3/8"	
ES83-E18	E18		E18 X 3/8"	
ES83-E20	E20		E20 X 3/8"	

PNEUMATIC SUPER LOCK SOCKET



NUT CORNER PROTECTION DESIGN / BIG R-ANGLE TYPE

STYLE NO.	SW	LENGTH	SIZE	MATERIAL
RS21-8	8mm	38mm	8mm X 1/2"	50BV30
RS21-9	9mm		9mm X 1/2"	
RS21-10	10mm		10mm X 1/2"	
RS21-11	11mm		11mm X 1/2"	
RS21-12	12mm		12mm X 1/2"	
RS21-13	13mm		13mm X 1/2"	
RS21-14	14mm		14mm X 1/2"	
RS21-15	15mm		15mm X 1/2"	
RS21-16	16mm		16mm X 1/2"	
RS21-17	17mm		17mm X 1/2"	
RS21-18	18mm		18mm X 1/2"	
RS21-19	19mm		19mm X 1/2"	
RS21-20	20mm		20mm X 1/2"	
RS21-21	21mm		21mm X 1/2"	
RS21-22	22mm		22mm X 1/2"	
RS21-23	23mm		23mm X 1/2"	
RS21-24	24mm		24mm X 1/2"	
RS21-27	27mm	42mm	27mm X 1/2"	
RS21-30	30mm	44mm	30mm X 1/2"	
RS21-32	32mm		32mm X 1/2"	



NUT CORNER PROTECTION DESIGN / BIG R-ANGLE TYPE

STYLE NO.	SW	LENGTH	SIZE	MATERIAL
RS21-8L	8mm	77mm	8mm X 1/2"	50BV30
RS21-9L	9mm		9mm X 1/2"	
RS21-10L	10mm		10mm X 1/2"	
RS21-11L	11mm		11mm X 1/2"	
RS21-12L	12mm		12mm X 1/2"	
RS21-13L	13mm		13mm X 1/2"	
RS21-14L	14mm		14mm X 1/2"	
RS21-15L	15mm		15mm X 1/2"	
RS21-16L	16mm		16mm X 1/2"	
RS21-17L	17mm		17mm X 1/2"	
RS21-18L	18mm		18mm X 1/2"	
RS21-19L	19mm		19mm X 1/2"	
RS21-20L	20mm		20mm X 1/2"	
RS21-21L	21mm		21mm X 1/2"	
RS21-22L	22mm		22mm X 1/2"	
RS21-23L	23mm		23mm X 1/2"	
RS21-24L	24mm		24mm X 1/2"	
RS21-27L	27mm		27mm X 1/2"	
RS21-30L	30mm		30mm X 1/2"	
RS21-32L	32mm		32mm X 1/2"	

Corking®

PNEUMATIC SUPER LOCK SOCKET



NUT CORNER PROTECTION DESIGN / BIG R-ANGLE TYPE

STYLE NO.	SW	LENGTH	SIZE	MATERIAL
RS41-4	4mm	25mm	4mm X 1/4”	50BV30
RS41-45	4.5mm		4.5mm X 1/4”	
RS41-5	5mm		5mm X 1/4”	
RS41-55	5.5mm		5.5mm X 1/4”	
RS41-6	6mm		6mm X 1/4”	
RS41-7	7mm		7mm X 1/4”	
RS41-8	8mm		8mm X 1/4”	
RS41-9	9mm		9mm X 1/4”	
RS41-10	10mm		10mm X 1/4”	
RS41-11	11mm		11mm X 1/4”	
RS41-12	12mm		12mm X 1/4”	
RS41-13	13mm		13mm X 1/4”	
RS41-14	14mm		14mm X 1/4”	
RS41-4L	4mm	50mm	4mm X 1/4”	
RS41-45L	4.5mm		4.5mm X 1/4”	
RS41-5L	5mm		5mm X 1/4”	
RS41-55L	5.5mm		5.5mm X 1/4”	
RS41-6L	6mm		6mm X 1/4”	
RS41-7L	7mm		7mm X 1/4”	
RS41-8L	8mm		8mm X 1/4”	
RS41-9L	9mm		9mm X 1/4”	
RS41-10L	10mm		10mm X 1/4”	
RS41-11L	11mm		11mm X 1/4”	
RS41-12L	12mm		12mm X 1/4”	
RS41-13L	13mm		13mm X 1/4”	
RS41-14L	14mm		14mm X 1/4”	



NUT CORNER PROTECTION DESIGN / BIG R-ANGLE TYPE

STYLE NO.	SW	LENGTH	SIZE	MATERIAL
RS83-6	6mm	28mm	6mm X 3/8”	50BV30
RS83-7	7mm		7mm X 3/8”	
RS83-8	8mm		8mm X 3/8”	
RS83-9	9mm		9mm X 3/8”	
RS83-10	10mm		10mm X 3/8”	
RS83-11	11mm		11mm X 3/8”	
RS83-12	12mm		12mm X 3/8”	
RS83-13	13mm		13mm X 3/8”	
RS83-14	14mm		14mm X 3/8”	
RS83-15	15mm		15mm X 3/8”	
RS83-16	16mm		16mm X 3/8”	
RS83-17	17mm		17mm X 3/8”	
RS83-18	18mm		18mm X 3/8”	
RS83-19	19mm		19mm X 3/8”	
RS83-20	20mm		20mm X 3/8”	
RS83-21	21mm	30mm	21mm X 3/8”	
RS83-22	22mm		22mm X 3/8”	

PNEUMATIC SUPER LOCK SOCKET



NUT CORNER PROTECTION DESIGN / BIG R-ANGLE TYPE

STYLE NO.	SW	LENGTH	SIZE	MATERIAL
RS83-6L	6mm	62mm	6mm X 3/8”	50BV30
RS83-7L	7mm		7mm X 3/8”	
RS83-8L	8mm		8mm X 3/8”	
RS83-9L	9mm		9mm X 3/8”	
RS83-10L	10mm		10mm X 3/8”	
RS83-11L	11mm		11mm X 3/8”	
RS83-12L	12mm		12mm X 3/8”	
RS83-13L	13mm		13mm X 3/8”	
RS83-14L	14mm		14mm X 3/8”	
RS83-15L	15mm		15mm X 3/8”	
RS83-16L	16mm		16mm X 3/8”	
RS83-17L	17mm		17mm X 3/8”	
RS83-18L	18mm		18mm X 3/8”	
RS83-19L	19mm		19mm X 3/8”	
RS83-20L	20mm		20mm X 3/8”	
RS83-21L	21mm		21mm X 3/8”	
RS83-22L	22mm		22mm X 3/8”	

PROFESSIONAL RATCHET WRENCH





NORMAL TYPE

STYLE NO.	SIZE	LENGTH	G/1PC
RWH-41	1/4”SQ	155mm	135g
RWH-83	3/8”SQ	198mm	312g
RWH-21	1/2”SQ	255mm	500g

HANDLE / BENDING TYPE

STYLE NO.	SIZE	LENGTH	G/1PC
RWH-41B	1/4”SQ	148mm	120g
RWH-83B	3/8”SQ	210mm	287g
RWH-21B	1/2”SQ	250mm	536g

PROFESSIONAL CONCRETE TOOL



DRILL HOLDER / FOR Ø5/32" SHANK DRILL

STYLE NO.	Ø d	ℓmm	LENGTH	MATERIAL
57CTDH	5/32"	26.5	2 1/4"	50BV30

DRILL HOLDER SLEEVE / FOR 1/4" SHANK BITS

STYLE NO.	Ød	LENGTH	MATERIAL
145CTDS	13.1mm	5 9/16"	STEEL



MAGNETIC NUT DRIVER FOR HEX HEAD SCREW

STYLE NO.	Ø d	ℓmm	LENGTH	MATERIAL
32MND41	1/4"	6.5	1 1/4"	50BV30
32MND165	5/16"	7.5	1 3/8"	



DRYWALL BIT HOLDER / FOR 1/4" SHANK BITS

STYLE NO.	Ø d	ℓmm	LENGTH	MATERIAL
41CTBH	1/4"	27	1 5/8"	50BV30

PROFESSIONAL CONCRETE DRILL

FOR 3000 POUNDS CONCRETE

STYLE NO.	Ød	LENGTH	MATERIAL
CD325-3	5/32"	3 1/2"	TUNGSTEN CARBIDE TIP & STEEL
CD325-4		4 1/2"	
CD325-5		5 1/2"	
CD325-6		6 1/2"	
CD325-7		7 1/2"	
CD163-3	3/16"	3 1/2"	
CD163-4		4 1/2"	
CD163-5		5 1/2"	
CD163-6		6 1/2"	
CD163-7		7 1/2"	
CD327-3	7/32"	3 1/2"	
CD327-4		4 1/2"	
CD327-5		5 1/2"	
CD327-6		6 1/2"	
CD327-7		7 1/2"	
CD41-4	1/4"	4 1/2"	
CD41-5		5 1/2"	
CD41-6		6 1/2"	
CD41-7		7 1/2"	

1/4" HEX SHANK / 2PC TYPE DRILL



HSS GROUND DRILL mix BLACK HEX SHANK

STYLE NO.	SIZE		LENGTH	MATERIAL
PDB15	1/16"	1.5mm	65mm	HSS & STEEL
PDB20	5/64"	2mm	70mm	
PDB25	3/32"	2.5mm	77mm	
PDB30	1/8"	3mm	82mm	
PDB40	5/32"	4mm	95mm	
PDB50	3/16"	5mm	105mm	
PDB55	7/32"	5.5mm	108mm	
PDB60	15/64"	6mm	111mm	

STANDARD DRILL

DIY / HIGH / PROFESSIONAL

STYLE NO.	SIZE		LENGTH	MATERIAL
SD-15	1/16"	1.5mm	47mm	HSS DIY GRADE
SD-2	5/64"	2mm	51mm	
SD-25	3/32"	2.5mm	57mm	
SD-3	1/8"	3mm	60mm	
SD-35	9/64"	3.5mm	73mm	
SD-4	5/32"	4mm	79mm	
SD-45	11/64"	4.5mm	82mm	
SD-48	3/16"	4.8mm	89mm	
SD-5	13/64"	5mm	92mm	
SD-55	7/32"	5.5mm	95mm	
SD-6	15/64"	6mm	98mm	
SD-63	1/4"	6.3mm	101mm	
M2-15	1/16"	1.5mm	47mm	HSS-M2 HIGH GRADE
M2-2	5/64"	2mm	51mm	
M2-25	3/32"	2.5mm	57mm	
M2-3	1/8"	3mm	60mm	
M2-35	9/64"	3.5mm	73mm	
M2-4	5/32"	4mm	79mm	
M2-45	11/64"	4.5mm	82mm	
M2-48	3/16"	4.8mm	89mm	
M2-5	13/64"	5mm	92mm	
M2-55	7/32"	5.5mm	95mm	
M2-6	15/64"	6mm	98mm	
M2-63	1/4"	6.3mm	101mm	
CO-15	1/16"	1.5mm	47mm	COBALT 5% PROFESSIONAL GRADE
CO-2	5/64"	2mm	51mm	
CO-25	3/32"	2.5mm	57mm	
CO-3	1/8"	3mm	60mm	
CO-35	9/64"	3.5mm	63mm	
CO-4	5/32"	4mm	79mm	
CO-45	3/16"	4.5mm	82mm	
CO-5	13/64"	5mm	92mm	
CO-55	7/32"	5.5mm	95mm	
CO-6	1/4"	6mm	98mm	

SDS / ELECTRIC HAMMER DRILL



ENDED WITH 4 RECESSES

STYLE NO.	Ød	LENGTH	MATERIAL
460SDS26	26mm	460mm	TUNGSTEN CARBIDE TIP & STEEL BODY
460SDS28	28mm		
600SDS11	11mm	600mm	
600SDS12	12mm		
600SDS13	13mm		
600SDS14	14mm		
600SDS15	15mm		
600SDS16	16mm		
600SDS17	17mm		
600SDS18	18mm		
600SDS19	19mm		
600SDS20	20mm		
600SDS22	22mm		
600SDS25	25mm		
600SDS26	26mm		
600SDS28	28mm		
600SDS30	30mm		
800SDS22	22mm	800mm	
800SDS25	25mm		
800SDS26	26mm		
800SDS28	28mm		
800SDS30	30mm		

SDS / ELECTRIC HAMMER DRILL



ENDED WITH 4 RECESSES

STYLE NO.	Ød	LENGTH	MATERIAL
160SDS12	12mm	160mm	TUNGSTEN CARBIDE TIP & STEEL BODY
160SDS13	13mm		
160SDS14	14mm		
160SDS15	15mm		
160SDS16	16mm		
160SDS17	17mm		
160SDS18	18mm		
160SDS19	19mm		
160SDS22	22mm		
210SDS6	6mm	210mm	
210SDS7	7mm		
210SDS8	8mm		
210SDS9	9mm		
210SDS10	10mm		
210SDS11	11mm		
210SDS12	12mm		
210SDS13	13mm		
210SDS14	14mm		
210SDS15	15mm		
210SDS16	16mm		
210SDS17	17mm		
210SDS18	18mm		



ENDED WITH 4 RECESSES

STYLE NO.	Ød	LENGTH	MATERIAL
110SDS3	3mm	110mm	TUNGSTEN CARBIDE TIP & STEEL BODY
110SDS4	4mm		
110SDS5	5mm		
110SDS55	5.5mm		
110SDS6	6mm		
110SDS7	7mm		
110SDS8	8mm		
110SDS9	9mm		
110SDS10	10mm		
110SDS11	11mm		
110SDS12	12mm		
160SDS4	4mm	160mm	
160SDS5	5mm		
160SDS55	5.5mm		
160SDS6	6mm		
160SDS7	7mm		
160SDS8	8mm		
160SDS9	9mm		
160SDS10	10mm		
160SDS11	11mm		



ENDED WITH 4 RECESSES

STYLE NO.	Ød	LENGTH	MATERIAL
210SDS19	19mm	210mm	TUNGSTEN CARBIDE TIP & STEEL BODY
210SDS20	20mm		
210SDS22	22mm		
210SDS25	25mm		
260SDS6	6mm	260mm	
260SDS7	7mm		
260SDS8	8mm		
260SDS9	9mm		
260SDS10	10mm		
260SDS11	11mm		
260SDS12	12mm		
260SDS13	13mm		
260SDS14	14mm		
260SDS15	15mm		
260SDS16	16mm		
260SDS17	17mm		
260SDS18	18mm		
260SDS19	19mm		
260SDS20	20mm		
260SDS22	22mm		
260SDS25	25mm		
260SDS26	26mm		

SDS / ELECTRIC HAMMER DRILL



ENDED WITH 4 RECESSES

STYLE NO.	Ød	LENGTH	MATERIAL
310SDS8	8mm	310mm	TUNGSTEN CARBIDE TIP & STEEL BODY
310SDS9	9mm		
310SDS10	10mm		
310SDS11	11mm		
310SDS12	12mm		
310SDS13	13mm		
310SDS14	14mm		
310SDS15	15mm		
310SDS16	16mm		
310SDS17	17mm		
310SDS18	18mm		
310SDS19	19mm		
310SDS20	20mm		
310SDS22	22mm		
310SDS25	25mm		
310SDS26	26mm		
310SDS28	28mm		
350SDS8	8mm	350mm	
350SDS9	9mm		
350SDS10	10mm		
350SDS11	11mm		
350SDS12	12mm		



ENDED WITH 4 RECESSES

STYLE NO.	Ød	LENGTH	MATERIAL
350SDS13	13mm	350mm	TUNGSTEN CARBIDE TIP & STEEL BODY
350SDS14	14mm		
350SDS15	15mm		
350SDS16	16mm		
350SDS17	17mm		
350SDS18	18mm		
350SDS19	19mm		
350SDS20	20mm		
350SDS22	22mm		
350SDS25	25mm		
350SDS26	26mm		
350SDS28	28mm		
400SDS8	8mm	400mm	
400SDS9	9mm		
400SDS10	10mm		
400SDS11	11mm		
400SDS12	12mm		
400SDS13	13mm		
400SDS14	14mm		
400SDS15	15mm		
400SDS16	16mm		
400SDS17	17mm		

SDS / ELECTRIC HAMMER DRILL



ENDED WITH 4 RECESSES

STYLE NO.	Ød	LENGTH	MATERIAL
400SDS18	18mm	400mm	TUNGSTEN CARBIDE TIP & STEEL BODY
400SDS19	19mm		
400SDS20	20mm		
400SDS22	22mm		
400SDS25	25mm		
400SDS26	26mm		
400SDS28	28mm		
460SDS8	8mm	460mm	
460SDS9	9mm		
460SDS10	10mm		
460SDS11	11mm		
460SDS12	12mm		
460SDS13	13mm		
460SDS14	14mm		
460SDS15	15mm		
460SDS16	16mm		
460SDS17	17mm		
460SDS18	18mm		
460SDS19	19mm		
460SDS20	20mm		
460SDS22	22mm		
460SDS25	25mm		

EASY DRILL CHUCK



ℓ : 9.5 or 14mm

STYLE NO.	SIZE	MATERIAL
DC-3S	1~3mm,3/64"~1/8"	ZINC ALLOY & STEEL
DC-3	2.5~6mm,3/32"~1/4"	

PROFESSIONAL CONCRETE TOOL

CONCRETE TOOL SET

STYLE NO.	CONTAINS	MATERIAL
CT-1 (NON DRILL)	57CTDH,145CTDS 32MND41, 35MND165,41CTBH, 1/8" HEX KEY,25PH2 25PH3,CONCRETE DRILL 5/32" & 3/16" X 5 1/2" LONG	STEEL SLEEVE CR-V "L" KEY WRENCH CR-V BIT HOLDER MAG.NUT DRIVER S2 BITS DRILLS
CT-2 (2PC DRILL)		

HEX "L" KEY WRENCH



DIN911 STANDARD SERIES

STYLE NO.	W(mm)	B(mm)	C(mm)	G/1PC	
DIN-015	1.5	14	45	0.9	MATERIAL : 6150 CR-V
DIN-020	2	16	50	1.8	
DIN-025	2.5	18	56	3	
DIN-030	3	20	63	5	
DIN-040	4	25	70	10	
DIN-045	4.5	27	75	14	
DIN-050	5	28	80	18	
DIN-055	5.5	30	85	24	
DIN-060	6	32	90	30	
DIN-070	7	34	95	43	
DIN-080	8	36	100	60	
DIN-090	9	38	106	81	
DIN-100	10	40	112	105	
DIN-120	12	45	125	170	
DIN-140	14	56	140	265	
DIN-170	17	63	160	442	
DIN-190	19	70	180	631	
DIN-220	22	80	200	940	
DIN-240	24	90	224	1253	
DIN-270	27	100	250	1765	
DIN-320	32	125	315	3120	FINISH : BLACK

HEX "L" KEY WRENCH



LONG ARM SERIES

STYLE NO.	W(mm)	B(mm)	C(mm)	G/1PC	
LG-015	1.5	14	77	1.3	MATERIAL : 6150 CR-V
LG-020	2	16	82	2.5	
LG-025	2.5	18	89	4.3	
LG-030	3	19	99	6.9	
LG-040	4	21	105	13.4	
LG-050	5	24	114	23.2	
LG-055	5.5	29	127	30.8	
LG-060	6	28	133	38.7	
LG-080	8	35	158	81.5	
LG-100	10	39	167	140	
LG-116	1/16	14	76	1.5	
LG-564	5/64	15	81	2.5	
LG-332	3/32	17	86	3.9	
LG-764	7/64	18	90	5.6	
LG-108	1/8	19	95	7.7	
LG-964	9/64	20	100	10.3	
LG-532	5/32	21	105	13.4	
LG-316	3/16	24	114	21.2	
LG-732	7/32	26	124	31.4	
LG-104	1/4	28	135	44.3	
LG-516	5/16	32	152	78	
LG-308	3/8	35	171	126	FINISH : BLACK



SHORT ARM SERIES

STYLE NO.	W(inch)	B(mm)	C(mm)	G/1PC	
HLA-028	0.028	8	34	0.14	MATERIAL : 6150 CR-V
HLA-035	0.035	10	38	0.26	
HLA-050	0.050	12	42	0.6	
LA-116	1/16	14	44	1	
LA-564	5/64	15	48	1.7	
LA-332	3/32	17	51	2.6	
LA-764	7/64	18	54	3.8	
LA-108	1/8	19	57	5.2	
LA-964	9/64	20	60	6.9	
LA-532	5/32	21	64	9.1	
LA-316	3/16	24	70	14.5	
LA-732	7/32	26	76	21.5	
LA-104	1/4	28	83	30.5	
LA-516	5/16	32	95	54	
LA-308	3/8	35	108	88	
LA-716	7/16	38	121	165	
LA-102	1/2	41	133	180	
LA-916	9/16	44	146	197	
LA-508	5/8	48	159	215	FINISH : BLACK
STYLE NO.	W(mm)	B(mm)	C(mm)	G/1PC	
LA-007	0.7	8	34	0.14	
LA-009	0.9	10	38	0.26	
LA-013	1.3	12	42	0.6	



BALL POINT HEX SERIES

STYLE NO.	W(mm)	B(mm)	C(mm)	G/1PC	
BG-015	1.5	14	77	1.3	MATERIAL : 6150 CR-V
BG-020	2	16	82	2.5	
BG-025	2.5	18	89	4.3	
BG-030	3	19	99	6.9	
BG-040	4	21	105	13.4	
BG-050	5	24	114	23.2	
BG-055	5.5	29	127	30.8	
BG-060	6	28	133	38.7	
BG-080	8	35	158	81.5	
BG-100	10	39	167	140	
BG-116	1/16	14	76	1.5	
BG-564	5/64	15	81	2.5	
BG-332	3/32	17	86	3.9	
BG-764	7/64	18	90	5.6	
BG-108	1/8	19	95	7.7	
BG-964	9/64	20	100	10.3	
BG-532	5/32	21	105	13.4	
BG-316	3/16	24	114	21.2	
BG-732	7/32	26	124	31.4	
BG-104	1/4	28	135	44.3	
BG-516	5/16	32	152	78	
BG-308	3/8	35	171	126	FINISH : BLACK

6 LOBE STAR "L" KEY WRENCH



STANDARD SERIES

STYLE NO.	SIZE	ØWxBxC(mm)			MATERIAL
LT4	T4	3	18	47	6150 CR-V
LT6	T6	4	18	47	
LT7	T7				
LT8	T8				
LT9	T9				
LT10	T10				
LT15	T15	4	18	57	
LT20	T20	6	22	68	
LT25	T25				
LT27	T27				
LT30	T30				
LT40	T40	8	27	78	
LT45	T45				
LT50	T50	9	32	95	
LT55	T55	11.1	35	108	
LT60	T60	13	42	120	
LT10T15	T10/T15	4	18	58	
LT6D	T6	2.5	16	52	
LT7D	T7	2.5	17	54	
LT8D	T8	2.5	18	56	
LT9D	T9	2.5	19	58	
LT10D	T10	3	20	60	
LT15D	T15	3.5	22	63	
LT20D	T20	4	23	67	
LT25D	T25	4.5	25	70	
LT27D	T27	5	26	75	
LT30D	T30	6	28	81	
LT40D	T40	7	31	88	
LT45D	T45	8	33	95	

TAMPER 6 LOBE STAR "L" KEY WRENCH



WITH HOLE
TAMPERPROOF 6 LOBE STAR SERIES

STYLE NO.	SIZE	ØWxBxC(mm)			MATERIAL
TLT5	TT5	4	18	47	6150 CR-V
TLT6	TT6				
TLT7	TT7				
TLT8	TT8				
TLT9	TT9				
TLT10	TT10				
TLT15	TT15	4	18	57	
TLT20	TT20	6	22	68	
TLT25	TT25				
TLT27	TT27				
TLT30	TT30				
TLT40	TT40	8	27	78	
TLT45	TT45				
TLT50	TT50	9	32	95	
TLT55	TT55	11.1	35	108	
TLT60	TT60	13	42	120	
TLT15S	TT15	3.2	18	58	
TLT5D	TT5	2.5	15	50	
TLT6D	TT6	2.5	16	52	
TLT7D	TT7	2.5	17	54	
TLT8D	TT8	2.5	18	56	
TLT9D	TT9	2.5	19	58	
TLT10D	TT10	3	20	60	
TLT15D	TT15	3.5	22	63	
TLT20D	TT20	4	23	67	
TLT25D	TT25	4.5	25	70	
TLT27D	TT27	5	26	75	
TLT30D	TT30	6	28	81	
TLT40D	TT40	7	31	88	
TLT45D	TT45	8	33	95	

TAMPER HEX "L" KEY WRENCH



WITH HOLE
TAMPERPROOF HEX SERIES

STYLE NO.	SIZE	WxBxC(mm)			MATERIAL
TLH2	2mm	2	16	42	6150 CR-V
TLH25	2.5mm	2.5	16	51	
TLH3	3mm	3	21	55	
TLH4	4mm	4	23	64	
TLH5	5mm	5	25	77	
TLH5.5	5.5mm	5.5	25	77	
TLH6	6mm	6	30	81	
TLH8	8mm	8	33	97	
TLH10	10mm	10	35	108	
TLH12	12mm	12	45	125	

TAMPER HEX "L" KEY WRENCH



WITH HOLE
TAMPERPROOF HEX SERIES

STYLE NO.	SIZE	WxBxC(mm)			MATERIAL
TLH645	5/64"	5/64"	16	42	6150 CR-V
TLH323	3/32"	3/32"	16	51	
TLH647	7/64"	7/64"	18	53	
TLH81	1/8"	1/8"	21	55	
TLH649	9/64"	9/64"	22	60	
TLH325	5/32"	5/32"	23	64	
TLH163	3/16"	3/16"	25	77	
TLH327	7/32"	7/32"	28	79	
TLH41	1/4"	1/4"	30	81	
TLH165	5/16"	5/16"	33	97	
TLH83	3/8"	3/8"	35	108	

S2 HIGH TORQUE "L" KEY WRENCH



HIGH TORQUE / HEX SERLES

STYLE NO.	SIZE	WxBxC(mm)			MATERIAL
SLH15S	1.5mm	1.5	14	45	S2
SLH2S	2mm	2	16	50	
SLH25S	2.5mm	2.5	18	56	
SLH3S	3mm	3	20	63	
SLH4S	4mm	4	25	70	
SLH5S	5mm	5	28	80	
SLH55S	5.5mm	5.5	30	85	
SLH6S	6mm	6	32	90	
SLH8S	8mm	8	36	100	
SLH10S	10mm	10	40	112	
SLH161S	1/16"	1/16"	14	44	S2
SLH645S	5/64"	5/64"	15	48	
SLH323S	3/32"	3/32"	17	51	
SLH81S	1/8"	1/8"	19	57	
SLH325S	5/32"	5/32"	21	64	
SLH163S	3/16"	3/16"	24	70	
SLH327S	7/32"	7/32"	26	76	
SLH41S	1/4"	1/4"	28	83	
SLH165S	5/16"	5/16"	32	95	
SLH83S	3/8"	3/8"	35	108	



HIGH TORQUE / 6 LOBE STAR SERIES

STYLE NO.	SIZE	WxBxC(mm)			MATERIAL
SLT6S	T6	H3	15	59	S2
SLT8S	T8	H3	16	61	
SLT10S	T10	H3	18	63	
SLT15S	T15	H3	20	66	
SLT20S	T20	H4	22	71	
SLT25S	T25	H4	25	74	
SLT27S	T27	H5	27	80	
SLT30S	T30	H5	29	83	
SLT40S	T40	H6	32	90	
SLT45S	T45	H8	34	95	
SLT50S	T50	H10	36	100	
SLT55S	T55	H10	40	112	

HIGH TORQUE / WITH HOLE / TAMPERPROOF 6 LOBE STAR SERIES

STLT10S	TT10	H3	18	63	S2
STLT15S	TT15	H3	20	66	
STLT20S	TT20	H4	22	71	
STLT25S	TT25	H4	25	74	
STLT27S	TT27	H5	27	80	
STLT30S	TT30	H5	29	83	
STLT40S	TT40	H6	32	90	
STLT45S	TT45	H8	34	95	
STLT50S	TT50	H10	36	100	
STLT55S	TT55	H10	40	112	

S2 HIGH TORQUE "L" KEY WRENCH



WITH HOLE HIGH TORQUE TAMPERPROOF HEX SERIES

STYLE NO.	SIZE	WxBxC(mm)			MATERIAL
STLH15S	1.5mm	1.5	14	45	S2
STLH2S	2mm	2	16	50	
STLH25S	2.5mm	2.5	18	56	
STLH3S	3mm	3	20	63	
STLH4S	4mm	4	25	70	
STLH5S	5mm	5	28	80	
STLH55S	5.5mm	5.5	30	85	
STLH6S	6mm	6	32	90	
STLH8S	8mm	8	36	100	
STLH10S	10mm	10	40	112	
STLH161S	1/16"	1/16"	14	44	S2
STLH645S	5/64"	5/64"	15	48	
STLH323S	3/32"	3/32"	17	51	
STLH81S	1/8"	1/8"	19	57	
STLH325S	5/32"	5/32"	21	64	
STLH163S	3/16"	3/16"	24	70	
STLH327S	7/32"	7/32"	26	76	
STLH41S	1/4"	1/4"	28	83	
STLH165S	5/16"	5/16"	32	95	
STLH83S	3/8"	3/8"	35	108	



HIGH TORQUE BALL POINT HEX SERIES

STYLE NO.	SIZE	WxBxC(mm)			MATERIAL
SLHB15S	1.5mm	1.5	14	77	S2
SLHB2S	2mm	2	16	82	
SLHB25S	2.5mm	2.5	17	89	
SLHB3S	3mm	3	19	99	
SLHB4S	4mm	4	21	105	
SLHB5S	5mm	5	24	114	
SLHB55S	5.5mm	5.5	26	127	
SLHB6S	6mm	6	28	133	
SLHB7S	7mm	7	32	145	
SLHB8S	8mm	8	35	158	
SLHB10S	10mm	10	39	167	
SLHB161S	1/16"	1/16"	14	76	S2
SLHB645S	5/64"	5/64"	15	81	
SLHB323S	3/32"	3/32"	17	86	
SLHB647S	7/64"	7/64"	18	90	
SLHB81S	1/8"	1/8"	19	95	
SLHB649S	9/64"	9/64"	20	100	
SLHB325S	5/32"	5/32"	21	105	
SLHB163S	3/16"	3/16"	24	114	
SLHB327S	7/32"	7/32"	26	124	
SLHB41S	1/4"	1/4"	28	135	
SLHB165S	5/16"	5/16"	32	152	
SLHB83S	3/8"	3/8"	35	171	

S2 EXTRA LONG / KEY WRENCH



HIGH TORQUE / HEX SERLES

STYLE NO.	SIZE	WxBxC(mm)			MATERIAL
SLH15	1.5mm	1.5	14	90	S2
SLH2	2mm	2	16	100	
SLH25	2.5mm	2.5	18	112	
SLH3	3mm	3	20	126	
SLH4	4mm	4	25	140	
SLH5	5mm	5	28	160	
SLH55	5.5mm	5.5	30	170	
SLH6	6mm	6	32	180	
SLH8	8mm	8	36	200	
SLH10	10mm	10	40	224	
SLH161	1/16"	1/16"	14	90	S2
SLH645	5/64"	5/64"	16	100	
SLH323	3/32"	3/32"	18	112	
SLH81	1/8"	1/8"	20	126	
SLH325	5/32"	5/32"	25	140	
SLH163	3/16"	3/16"	28	160	
SLH327	7/32"	7/32"	30	170	
SLH41	1/4"	1/4"	32	180	
SLH165	5/16"	5/16"	36	200	
SLH83	3/8"	3/8"	40	224	



HIGH TORQUE
6 LOBE STAR SERIES

STYLE NO.	SIZE	WxBxC(mm)			MATERIAL
SLT6	T6	H3	18	80	S2
SLT8	T8	H3	19	85	
SLT10	T10	H3	20	91	
SLT15	T15	H3	21	102	
SLT20	T20	H4	22	115	
SLT25	T25	H4	26	125	
SLT27	T27	H5	27	142	
SLT30	T30	H5	29	158	
SLT40	T40	H6	30	180	
SLT45	T45	H8	38	198	
SLT50	T50	H10	40	222	
SLT55	T55	H10	42	245	

WITH HOLE / TAMPERPROOF 6 LOBE STAR SERIES

STLT10	TT10	H3	20	91	S2
STLT15	TT15	H3	21	102	
STLT20	TT20	H4	22	115	
STLT25	TT25	H4	26	125	
STLT27	TT27	H5	27	142	
STLT30	TT30	H5	29	158	
STLT40	TT40	H6	30	180	
STLT45	TT45	H8	38	198	
STLT50	TT50	H10	40	222	
STLT55	TT55	H10	42	245	

S2 EXTRA LONG / KEY WRENCH



WITH HOLE
HIGH TORQUE
TAMPERPROOF HEX SERIES

STYLE NO.	SIZE	WxBxC(mm)			MATERIAL
STLH15	1.5mm	1.5	14	90	S2
STLH2	2mm	2	16	100	
STLH25	2.5mm	2.5	18	112	
STLH3	3mm	3	20	126	
STLH4	4mm	4	25	140	
STLH5	5mm	5	28	160	
STLH55	5.5mm	5.5	30	170	
STLH6	6mm	6	32	180	
STLH8	8mm	8	36	200	
STLH10	10mm	10	40	224	
STLH161	1/16"	1/16"	14	90	S2
STLH645	5/64"	5/64"	16	100	
STLH323	3/32"	3/32"	18	112	
STLH81	1/8"	1/8"	20	126	
STLH325	5/32"	5/32"	25	140	
STLH163	3/16"	3/16"	28	160	
STLH327	7/32"	7/32"	30	170	
STLH41	1/4"	1/4"	32	180	
STLH165	5/16"	5/16"	36	200	
STLH83	3/8"	3/8"	40	224	



HIGH TORQUE
BALL POINT HEX SERIES

STYLE NO.	SIZE	WxBxC(mm)			MATERIAL
SLHB15	1.5mm	1.5	14	90	S2
SLHB2	2mm	2	16	100	
SLHB25	2.5mm	2.5	18	112	
SLHB3	3mm	3	20	126	
SLHB4	4mm	4	25	140	
SLHB5	5mm	5	28	160	
SLHB55	5.5mm	5.5	30	170	
SLHB6	6mm	6	32	180	
SLHB7	7mm	7	34	190	
SLHB8	8mm	8	36	200	
SLHB10	10mm	10	40	224	
SLHB161	1/16"	1/16"	14	90	S2
SLHB645	5/64"	5/64"	16	100	
SLHB323	3/32"	3/32"	18	112	
SLHB647	7/64"	7/64"	19	118	
SLHB81	1/8"	1/8"	20	126	
SLHB649	9/64"	9/64"	23	132	
SLHB325	5/32"	5/32"	25	140	
SLHB163	3/16"	3/16"	28	160	
SLHB327	7/32"	7/32"	30	170	
SLHB41	1/4"	1/4"	32	180	
SLHB165	5/16"	5/16"	36	200	
SLHB83	3/8"	3/8"	40	224	

PHILIPS TYPE KEY WRENCH



PHILLIPS

STYLE NO.	SIZE	WxBxC(mm)			MATERIAL
LPH1	PH1	H5	28	80	#6150 CR-V
LPH2	PH2				

6 LOBE STAR "Z" TYPE KEY WRENCH



6 LOBE STAR

STYLE NO.	SIZE	ØWxBxC(mm)			MATERIAL
ZT6T8	T6/T8	3	18	70	#6150 CR-V
ZT10T15	T10/T15	4	18	70	
ZT20T25	T20/T25	5	19	75	
ZT25T30	T25/T30	6	19	75	

SPECIAL SOCKET "L" KEY



3/8" SQUARE RECESS

STYLE NO.	SIZE	BxC(mm)		MATERIAL
L83DR	3/8"DR	48	152	#6150 CR-V



13mm HEX RECESS

STYLE NO.	SIZE	BxC(mm)		MATERIAL
LNS13	13mm	30	100	#50BV30

FLAGPOLE TYPE KEY WRENCH



PATENT / 6 LOBE STAR

STYLE NO.	SIZE	ØWxℓ(mm)		MATERIAL
P-LT6	T6	3.5	40	S2
P-LT8	T8			
P-LT10	T10	3.5	50	
P-LT15	T15			
P-LTT6	TT6	3.5	40	S2
P-LTT8	TT8			
P-LTT10	TT10	3.5	50	WITH HOLE
P-LTT15	TT15			



PATENT / PHILLIPS

STYLE NO.	SIZE	ØWxℓ(mm)		MATERIAL
P-LPH00	PH00	3.5	40	S2
P-LPH0	PH0			
P-LPH1	PH1	3.5	50	



PATENT / HEX

STYLE NO.	SIZE	ØWxℓ(mm)		MATERIAL
P-LH13	1.3mm	3.5	40	S2
P-LH15	1.5mm			
P-LH2	2mm			
P-LH25	2.5mm	3.5	50	
P-LH3	3mm			
P-LH161	1/16"	3.5	40	S2
P-LH645	5/64"			
P-LH323	3/32"	3.5	50	
P-LH647	7/64"			
P-LH81	1/8"			



PATENT / SLOTTED

STYLE NO.	SIZE	ØWxℓ(mm)		MATERIAL
P-LSL1	1mm	3.5	40	S2
P-LSL15	1.5mm			
P-LSL2	2mm			
P-LSL25	2.5mm	3.5	50	
P-LSL3	3mm			
P-LSL35	3.5mm			

INDUSTRIAL QUALITY TOOLS.

High Torque Bits / Bit Socket / Drill / Screw Driver / Coupler / L Key Wrench / Bit Holder / Socket Adapter / Nut Setter

PAT. / SHOCK BUFFER / TORSION BIT SET

BH-11NRQ MAGNET LEVITATION

BH-11NRB QUICK RELEASE

STYLE NO.	CONTAINS
BH-11NRQ (11pcs) BH-11NRB (11pcs)	•DISPLAY POUCH •QUICK RELEASE PUSH-FORWARD MAGNETIC BIT HOLDER •PAT. TORSION A-2 BITS : PH2 x 2 , PZ2 x 2 , SL6 , SQ2 x 2 , HEX5mm , T25 (GREATLY FITS SCREWS) •CR-V SOCKET ADAPTER : 1/4"SQ.x50mm

HIGH TORQUE POWER BIT SET

BH-19NRQ MAGNET LEVITATION

BH-19NRB QUICK RELEASE

STYLE NO.	CONTAINS
BH-19NRQ (19pcs) BH-19NRB (19pcs)	•DISPLAY POUCH •QUICK RELEASE PUSH-FORWARD MAGNETIC BIT HOLDER •S2 BITS : PH1 , PZ1 , SQ1 , T6 , T8 •A-2 BITS : T10 , T15 , T20 , T25 , T30 •PAT.TORSION A-2 BITS : PH2 x 2 , PZ2 x 2 , SQ2 x 2 , T25 x 2 (GREATLY FITS SCREWS)

BH-16NRQ MAGNET LEVITATION

BH-16NRB QUICK RELEASE

STYLE NO.	CONTAINS
BH-16NRQ (16pcs) BH-16NRB (16pcs)	•DISPLAY POUCH •QUICK RELEASE PUSH-FORWARD MAGNETIC BIT HOLDER •PATENT TORSION A-2 BITS : HEX5mm , RS2 , SL6 , PH1 , PH2 , PH3 , PZ1 , PZ2 , PZ3 , T15 , T20 , T25 , T30 , T40 (GREATLY FITS SCREWS) •PAT.TORSION A-2 ANTISKID RIBBED : PH2

BH-21NRQ MAGNET LEVITATION

BH-21NRB QUICK RELEASE

STYLE NO.	CONTAINS
BH-21NRQ (21pcs) BH-21NRB (21pcs)	•DISPLAY POUCH •QUICK RELEASE PUSH-FORWARD MAGNETIC BIT HOLDER •S2 BITS : T5 , T6 , T8 •A-2 BITS : T10 , T15 , T20 , T25 , T30 , T40 (GREATLY FITS SCREWS) •PAT.TORSION ANTISKID RIBBED BITS : PH2 x 2 •CR-V SOCKET ADAPTER : 1/4"SQ.x25mm •ANTISKID RIBBED : PH1 , PH2 x 2 PH3 , PZ1 , PZ2 x 2 , PZ3

INDUSTRIAL QUALITY TOOLS.

High Torque Bits / Bit Socket / Drill / Screw Driver / Coupler / L Key Wrench / Bit Holder / Socket Adapter / Nut Setter

HIGH TORQUE POWER BIT SET

BH-27NRQ
MAG.LEVITATION

BH-27NRB
QUICK RELEASE

STYLE NO.	CONTAINS
BH-27NRQ (27pcs)	•DISPLAY POUCH •QUICK RELEASE PUSH-FORWARD MAGNETIC BIT HOLDER •S2 BITS : T4 , T5 , T6 , T7 , T8 , T9 •A-2 BITS : T10 , T15 , T20 , T25 , T30 , T40 (GREATLY FITS SCREWS) •PAT.TORSION A-2 BITS : PH1 , PH2 x 2 , PH3 PZ1 , PZ2 x 2 , PZ3 , SQ2 x 2 , SL6 •PAT.TORSION ANTISKID RIBBED BITS : PH2 x 2 •CR-V SOCKET ADAPTER : 1/4"SQ.x25mm
BH-27NRB (27pcs)	

BH-10PR
ANTISKID RIBBED

BH-10PA
A-2 STANDARD

STYLE NO.	CONTAINS
BH-10PR (10pcs)	•DISPLAY POUCH •ANTISKID RIBBED or A-2 POWER BITS : PH1 , PH2 x 2 , PH3 , PZ1 , PZ2 x 2 , PZ3 •PAT.TORSION A-2 BITS : PZ2 x 2
BH-10PA (10pcs)	

MULTI "L" KEY WRENCH BAR

STYLE NO.	SIZE
MWB-T (NON HEX KEY)	FOR EXTRA LONG KEY WRENCH : 3mm & T10 , T15 — 4mm & T20 , T25 5mm & T27 , T30 — 6mm & T40 7mm , 8mm & T45 — 10mmm & T50 , T55

HIGH TORQUE POWER BIT SET

STYLE NO.	CONTAINS
BH-31NRB1 (31pcs)	•PLASTIC BOX •QUICK RELEASE PUSH-FORWARD MAGNETIC BIT HOLDER •S2 BITS : T5 , T6 , T7 , T8 , T9 , PH0 , PH1 , PZ1 , SL5 , SL7 , SQ1 , HEX3 , 4 , 5 , 6mm , 1/8" , 5/32" , 3/16" , 7/32" , 1/4" •A-2 BITS : PH2 , PZ2 , SQ2 , T10 , T15 , T20 , T25 , T30 , T40 (GREATLY FITS SCREWS) •CR-V SOCKET ADAPTER : 1/4"SQ.x25mm
BH-31NRB2 (31pcs)	•PLASTIC BOX •QUICK RELEASE PUSH-FORWARD MAGNETIC BIT HOLDER •S2 BITS : HEX 3 , 4 , 5 , 6mm , 1/8" , 5/32" , 3/16" , 7/32" , 1/4" •A-2 BITS : PH1 , PH3 , PZ1 , PZ3 , SQ1 , SQ3 , SL5 , SL7 , PH2 x 2 , PZ2 x 2 , SQ2 x 2 , T10 ,T15 , T20 , T25 , T30 , T40 (GREATLY FITS SCREWS) •CR-V SOCKET ADAPTER : 1/4"SQ.x25mm

HIGH TORQUE POWER BIT SET

STYLE NO.	CONTAINS
BH-32NQA (32pcs)	•PLASTIC BOX •QUICK RELEASE PULL-BACKWARD MAGNETIC LEVITATION BIT HOLDER •S2 BITS：PH1 , PH3 , PZ1 , PZ3 , RS1 , RS3 ,SL4 , SL5 , SL6 , HEX4 , 5 , 6 TT10 , TT15 , TT20 ,TT25 ,TT30 , TT40 •A-2 BITS：PH2 x 2 , PZ2 x 2 , SQ2 x 2 , T10 ,T15 , T20 , T25 , T30 , T40 (GREATLY FITS SCREWS) •CR-V SOCKET ADAPTER：1/4"SQ.x25mm
BH-32NQB (32pcs)	•PLASTIC BOX •QUICK RELEASE PULL-BACKWARD MAGNETIC LEVITATION BIT HOLDER •S2 BITS：PH00 , PH0 , PH1 , PH3 , PZ0 , PZ1 , PZ3 , RS0 , RS1 , RS3 , SL3 , SL4 , SL5 , SL6 , HEX3 , 4 , 5 , 6 •A-2 BITS：PH2 x 2 , PZ2 x 2 , RS2 x 2 , T10 , T15 , T20 , T25 , T30 , T40 (GREATLY FITS SCREWS) •CR-V SOCKET ADAPTER：1/4"SQ.x25mm

STYLE NO.	CONTAINS
BH-62NQ (62pcs)	•PLASTIC BOX •QUICK RELEASE PULL-BACKWARD MAGNETIC LEVITATION BIT HOLDER •S2 BITS：PH0 , PH1 , PH2 , PH3 , PZ0 , PZ1 , PZ2 , PZ3 , HEX 1/16" , 5/64" , 3/32" , 7/64" , 1/8" , 9/64" , 5/32" , 3/16" , 7/32" , 1/4" , HEX1.5 , 2 , 2.5 , 3 , 4 , 5 , 5.5 , 6mm , SQ0 , SQ1 , SQ2 , SQ3 , SL3 , SL4 , SL5 , SL6 , SL7 , T4 , T5 , T6 , T7 , T8 , T9 , T10 , T15 , T20 , T25 , T27 , T30 , T40 •A-2 BITS：PH2 x2 , PH3 , PZ2 x 2 , SQ2 , T10 , T15 , T20 , T25 , T30 , T40 (GREATLY FITS SCREWS) •CR-V SOCKET ADAPTER：1/4"SQ.x25mm

HIGH TORQUE POWER BIT SET

STYLE NO.	CONTAINS
BH-32NRQA (32pcs)	•PLASTIC BOX •QUICK RELEASE PUSH-FORWARD MAGNETIC LEVITATION BIT HOLDER •S2 BITS：PH1 , PH3 , PZ1 , PZ3 , RS1 , RS3 ,SL4 , SL5 , SL6 , HEX4 , 5 , 6 TT10 , TT15 , TT20 ,TT25 ,TT30 , TT40 •A-2 BITS：PH2 x 2 , PZ2 x 2 , SQ2 x 2 , T10 ,T15 , T20 , T25 , T30 , T40 (GREATLY FITS SCREWS) •CR-V SOCKET ADAPTER：1/4"SQ.x25mm
BH-32NRQB (32pcs)	•PLASTIC BOX •QUICK RELEASE PUSH-FORWARD MAGNETIC LEVITATION BIT HOLDER •S2 BITS：PH00 , PH0 , PH1 , PH3 , PZ0 , PZ1 , PZ3 , RS0 , RS1 , RS3 , SL3 , SL4 , SL5 , SL6 , HEX3 , 4 , 5 , 6 •A-2 BITS：PH2 x 2 , PZ2 x 2 , RS2 x 2 , T10 , T15 , T20 , T25 , T30 , T40 (GREATLY FITS SCREWS) •CR-V SOCKET ADAPTER：1/4"SQ.x25mm

STYLE NO.	CONTAINS
BH-62NRQ (62pcs)	•PLASTIC BOX •QUICK RELEASE PUSH-FORWARD MAGNETIC LEVITATION BIT HOLDER •S2 BITS：PH0 , PH1 , PH2 , PH3 , PZ0 , PZ1 , PZ2 , PZ3 , HEX 1/16" , 5/64" , 3/32" , 7/64" , 1/8" , 9/64" , 5/32" , 3/16" , 7/32" , 1/4" , HEX1.5 , 2 , 2.5 , 3 , 4 , 5 , 5.5 , 6mm , SQ0 , SQ1 , SQ2 , SQ3 , SL3 , SL4 , SL5 , SL6 , SL7 , T4 , T5 , T6 , T7 , T8 , T9 , T10 , T15 , T20 , T25 , T27 , T30 , T40 •A-2 BITS：PH2 x2 , PH3 , PZ2 x 2 , SQ2 , T10 , T15 , T20 , T25 , T30 , T40 (GREATLY FITS SCREWS) •CR-V SOCKET ADAPTER：1/4"SQ.x25mm

INDUSTRIAL QUALITY TOOLS.

High Torque Bits / Bit Socket / Drill / Screw Driver / Coupler / L Key Wrench / Bit Holder / Socket Adapter / Nut Setter

PAT. / SHOCK BUFFER / TORSION BIT SET

P-A6505PH2

N-A6505PH2

JAPANESE A14
PATENT / SHOCK BUFFER
TORSION PHILLIPS / 5pcs

STYLE NO.	CONTAINS	MATERIAL
P-A6505PH2	PH2 X PH2 X 65mm	A-2
P-A8505PH2	PH2 X PH2 X 85mm	
P-A11005PH2	PH2 X PH2 X 110mm	
N-A6505PH2	PH2 X PH2 X 65mm	
N-A8505PH2	PH2 X PH2 X 85mm	
N-A11005PH2	PH2 X PH2 X 110mm	

JAPANESE A14
PATENT / SHOCK BUFFER
TORSION PHILLIPS / 5pcs

STYLE NO.	CONTAINS	MATERIAL
N-A6505PH2R	PH2 X PH2 X 65mm	A-2
N-A8505PH2R	PH2 X PH2 X 85mm	
N-A11005PH2R	PH2 X PH2 X 110mm	

JAPANESE B43
PATENT / SHOCK BUFFER
TORSION PHILLIPS / 5pcs

STYLE NO.	CONTAINS	MATERIAL
N-B6505PH2	PH2 X PH2 X 65mm	A-2
N-B8505PH2	PH2 X PH2 X 85mm	
N-B11005PH2	PH2 X PH2 X 110mm	

HIGH TORQUE POWER BIT SET

DIN 3126 E6.3mm
PHILLIPS / 10pcs

STYLE NO.	CONTAINS	MATERIAL
5010PH2	PH2 X 50mm	S2 & A-2
5010PZ2	PZ2 X 50mm	
5010RS2	RS2 X 50mm	

JAPANESE A14
PHILLIPS / 10pcs

STYLE NO.	CONTAINS	MATERIAL
A6510PH2	PH2 X PH2 X 65mm	S2
A8510PH2	PH2 X PH2 X 85mm	
A11010PH2	PH2 X PH2 X 110mm	
A15010PH2	PH2 X PH2 X 150mm	A-2
A20010PH2	PH2 X PH2 X 200mm	

7PC FOLDING TYPE NUT DRIVER SET

STYLE NO.	CONTAINS	MATERIAL
BH-FND7A	HEX HOLE : 3/16" , 1/4" , 5/16" , 11/32" , 3/8" , 7/16" , 1/2"	50BV30 ALLOY STEEL WITH COLLECTION FOLDER
BH-FND7B	HEX HOLE : 5mm , 6mm , 7mm 8mm , 10mm , 11mm , 12mm	

BLISTER CARD

DOUBLE BLISTER

ZIPLOCK BAG

TEARABLE STRIP

BARCODE , LOGO AND BIT SIZE
COULD BE PRINTED ON THE BACK SIDE.

HANGING ZIPLOCK BAG

INDUSTRIAL QUALITY TOOLS.

High Torque Bits / Bit Socket / Drill / Screw Driver / Coupler / L Key Wrench / Bit Holder / Socket Adapter / Nut Setter

PLASTIC BOX " A "

INNER SIZE : L100mm x W18mm x H18mm

PLASTIC BOX " B "

INNER SIZE : L80mm x W50mm x H25mm

PLASTIC BOX " C "

INNER SIZE : L65mm x W65mm x H15mm

PLASTIC BOX " D "

INNER SIZE : L75mm x W115mm x H15mm

PLASTIC BOX " E "

INNER SIZE : L65mm x W65mm x H8mm

PLASTIC BOX " F "

INNER SIZE : L90mm x W40mm x H27mm

DISPLAY POUCH

PATENT PLASTIC BOX

MODERN HEX AND STAR DESIGN

※ FOR 1/4" SHANK x 30mm & 5/16" SHANK x 32mm BIT / 5pcs

HANGING PLASTIC CARD

ADDITIONAL BIT / LIBERTY CHOICE

※ 4 , 5 , 6 , 7 , 8 , 9 , 10 , 11 , 12 , 13 & 15 pcs

CUSTOMISED & SPECIAL PRODUCTS

INDUSTRIAL QUALITY TOOLS.

High Torque Bits / Bit Socket / Drill / Screw Driver / Coupler / L Key Wrench / Bit Holder / Socket Adapter / Nut Setter

HOLLOW-SHAFT NUT DRIVER / STYLE NO.HLS163-HLS13

MATERIAL : 50BV30 ALLOY STEEL + PVC HANDLE
SIZE CHOICES : 3/16",7/32",1/4",9/32",5/16",11/32",3/8",7/16",1/2"
& 5,5.5,6,7,8,9,10,11,12,13mm
PACKING : SECURITY BUTTON HANGING CARD

BH-607

BH-617

METALLIC NECK

8PC RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-607Z	•RATCHET HANDLE •S2 BITS : PH1 , PH2 , PZ1 , PZ2 , SL5 , SL7 •50mm MAG. BIT HOLDER	ZIPLOCK BAG 100sets / G.W.23.5kgs / 1.2'
BH-617Z		
BH-607B		WHITE BOX 100sets / G.W.23.5kgs / 2'
BH-617B		
BH-607C		BLISTER CARD 96sets / G.W.25kgs / 3'
BH-617C		

8PC "3 WAY" RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-608Z	•RATCHET HANDLE •S2 BITS : PH1 , PH2 , PZ1 , PZ2 , SL5 , SL7 •50mm MAG. BIT HOLDER	ZIPLOCK BAG 80sets / G.W.22.5kgs / 1.2'
BH-608B		WHITE BOX 80sets / G.W.23.5kgs / 1.2'
BH-608C		BLISTER CARD 72sets / G.W.23kgs / 3'

8PC "CANE TYPE" ONE TOUCH SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-700C	•RATCHET HANDLE •S2 BITS : PH1 , PH2 , PZ1 , PZ2 , SL5 , SL7 •50mm MAG. BIT HOLDER	BLISTER CARD 96sets / G.W.23.5kgs / 3'

14PC "CANE TYPE" ONE TOUCH SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-700XL	•RATCHET HANDLE •S2 BITS : PH1 , PH2 , SL5 , SL7 , PZ2(RS2) , PZ1(RS1) •SOCKET ADAPTER •SOCKET : 5 , 6 , 7 , 8 , 10mm (3/16" , 7/32" , 1/4" , 5/16 , 3/8") •50mm MAG. BIT HOLDER	BLISTER CARD 48sets / Ctn. G.W.18.5kgs / 3'

9PC RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-602Z	•RATCHET HANDLE •S2 BITS : PH1 , PH2 , PZ1 , PZ2 , SL5 , SL7 , SQ1 , SQ2	ZIPLOCK BAG 160sets / G.W.23kgs / 1.2'
BH-602D		DISPLAY POUCH 130sets / G.W.20.5kgs / 1.2'
BH-602C		BLISTER CARD 120sets / G.W.20kgs / 2.5'

5PC SCREW EXTRACTOR SET (FOR BROKEN SCREW)

STYLE NO.	CONTAINS	PACKING / CARTON
BH-101	1/8" , 1/4" , 5/16" , 7/16" , 9/16"	ALLOY STEEL 100sets / G.W.13kgs / 1'

BH-808 (NO RULER)

BH-808R (WITH RULER)

14PC HIGH TORQUE RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-808Z	•RATCHET HANDLE •S2 BITS : PH1 , PH2 , PZ1 , PZ2 , RS1 , RS2 , SL5 , SL7 , T15 , T20, T25 , T30 •50mm MAG. BIT HOLDER	ZIPLOCK BAG 80sets / G.W.22kgs / 1'
BH-808RZ		
BH-808B		WHITE BOX 80sets / G.W.22kgs / 2'
BH-808RB		
BH-808C		BLISTER CARD 72sets / G.W.22.5kgs / 3'
BH-808RC		

BH-818R (WITH RULER)

BH-818 (NO RULER)

14PC HIGH TORQUE RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-818Z	•RATCHET HANDLE •S2 BITS : PH1 , PH2 , PZ1 , PZ2 , RS1 , RS2 , SL5 , SL7 , T15 , T20 , T25 , T30 •50mm MAG. BIT HOLDER	ZIPLOCK BAG 80sets / G.W.22kgs / 1'
BH-818RZ		
BH-818B		WHITE BOX 80sets / G.W.22kgs / 2'
BH-818RB		
BH-818C		BLISTER CARD 72sets / G.W.22.5kgs / 3'
BH-818RC		

BH-808XL
BH-818XL (NO RULER)

BH-808RXL
BH-818RXL (WITH RULER)

26PC HIGH TORQUE RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-808XL BH-808RXL BH-818XL BH-818RXL	•RATCHET HANDLE •S2 BITS : PH00 , PH0 , PH1 , PH2 , PH3 , PZ1 , PZ2 , SL5 , SL7 , RS1 , RS2 , T6 , T8 , T10 , T15 , T20 , T25 , T30 •SOCKET ADAPTER •SOCKET : 5 , 6 , 7 , 8 , 10mm (3/16",7/32",1/4",5/16,3/8") •50mm MAG. BIT HOLDER	BLISTER CARD 48sets / Ctn. G.W.21.5kgs / 3'

BH-618XL (NO RULER)

BH-618RXL (WITH RULER)

BH-618 (NO RULER)

BH-618R (WITH RULER)

3 WAY

14PC "3 WAY" RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-618Z	•RATCHET HANDLE •S2 BITS : PH1 , PH2 , PZ1 , PZ2 , SL5 , SL7 , T15 , T20 , T25 , T30 •50mm MAG. BIT HOLDER	ZIPLOCK BAG 60sets / G.W.19.5kgs / 0.8'
BH-618RZ		
BH-618B		WHITE BOX 60sets / G.W.19.5kgs / 1.6'
BH-618RB		
BH-618C		BLISTER CARD 60sets / G.W.21.5kgs / 2.5'
BH-618RC		

26PC "3 WAY" HIGH TORQUE RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-618XL BH-618RXL	•RATCHET HANDLE •S2 BITS : PH00 , PH0 , PH1 , PH2 , PZ1 , PZ2 , RS1 , RS2 , SL5 , SL7 , T6 , T8 , T10 , T15 , T20 , T25 , T30 •SOCKET ADAPTER •SOCKET : 5 , 6 , 7 , 8 , 10mm (3/16" , 7/32" , 1/4" , 5/16 , 3/8") •50mm MAG. BIT HOLDER	BLISTER CARD 48sets / Ctn. G.W.22kgs / 3'

INDUSTRIAL QUALITY TOOLS.

High Torque Bits / Bit Socket / Drill / Screw Driver / Coupler / L Key Wrench / Bit Holder / Socket Adapter / Nut Setter

8PC STUBBY RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING/CARTON
BH-600Z	•RATCHET HANDLE •S2 BITS : PH1 , PH2 , PZ1 , PZ2 , SL5 , SL7 •50mm MAG. BIT HOLDER	ZIPLOCK BAG 120sets / G.W.20.5kgs / 1'
BH-600D		DISPLAY POUCH 100sets / G.W.18.5kgs / 1.2'
BH-600C		BLISTER CARD 96sets / G.W.19kgs / 2.5'

20PC STUBBY RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-600XL	•RATCHET HANDLE •S2 BITS : PH1 , PH2 , PZ1 , PZ2 , SL5 , SL7 , RS1 , RS2 , T15 ,T20 , T25 , T30 •1/4" SOCKET ADAPTER, •SOCKET : 5 , 6 , 7 , 8 ,10mm (3/16" , 7/32" , 1/4" , 5/16 , 3/8") •50mm MAG BIT HOLDER	BLISTER CARD 60sets / Ctn. G.W.19kgs / 3'

22PC "GUN TYPE" RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-801XL	•RATCHET HANDLE •S2 BITS : PH1 , PH2 , PZ1 , PZ2 , SL5 , SL7 , RS1 , RS2 , T10 ,T15 , T20 , T25 , T30 , T40 •1/4" SOCKET ADAPTER, •SOCKET : 5 , 6 , 7 , 8 ,10mm (3/16" , 7/32" , 1/4" , 5/16 , 3/8") •50mm MAG BIT HOLDER	BLISTER CARD 48sets / Ctn. G.W.19kgs / 3.5'

5PC STAINLESS MAGNETIC SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-838Z	•STAINLESS + CR-V MAGNETIC HANDLE •S2 BITS : PH1 , PH2 , SL5 , SL7	ZIPLOCK BAG 140sets / G.W.17.5kgs / 1.2'
BH-838D		DISPLAY POUCH 110sets / G.W.14kgs / 1.2'
BH-838C		BLISTER CARD 96sets / G.W.14kgs / 3'

6-IN-1 SCREWDRIVER SET (FOR SCREW & NUT)

STYLE NO.	CONTAINS	PACKING / CARTON
BH-401Z	•SLEEVE FOR BIT & 1/4", 5/16" NUT •CR-V BITS : PH1 x SL3/16", PH2 x SL1/4"	ZIPLOCK BAG 120sets / G.W.19kgs / 1.2'
BH-401D		DISPLAY POUCH 96sets / G.W.16.5kgs / 1.2'
BH-401C		BLISTER CARD 96sets / G.W.18.5kgs / 3'

7PC COMPLEX RATCHET SCREWDRIVER SET

STYLE NO.	CONTAINS	PACKING / CARTON
BH-500P	•HANDLE •POWERFUL EXTENSION •PAT. / TORSION BITS : PH1,PH2,PZ1,PZ2,SL6	BLISTER CARD 96 sets / G.W.23.5kgs / 3'
BH-500T	•HANDLE •POWERFUL EXTENSION •PAT. / TORSION BITS : T15,T20,T25,T30,T40	

S2 QUALITY / 9PC EXTRA LONG KEY WRENCH SET



HEX POINT

STYLE NO.	CONTAINS	PACKING	CARTON
BH-9XLH	1.5 , 2 , 2.5 , 3 , 4 , 5 , 6 , 8 & 10mm	9PC IN A DOUBLE LAYER HOLDERS / SLIDE CARD	6 Sets / Inner Box 48sets / G.W.24kgs / 1.9'
BH-9XLHI	1/16" , 5/64" , 3/32" , 1/8" , 5/32" , 3/16" , 1/4" (or 7/32") , 5/16" & 3/8"		

WITH HOLE / TAMPERPROOF HEX

STYLE NO.	CONTAINS	PACKING	CARTON
BH-9XLHT	1.5 , 2 , 2.5 , 3 , 4 , 5 , 6 , 8 &10mm	9PC IN A DOUBLE LAYER HOLDERS / SLIDE CARD	6 Sets / Inner Box 48sets / G.W.24kgs / 1.9'
BH-9XLHTI	1/16" , 5/64" , 3/32" , 1/8" , 5/32" , 3/16" , 1/4" (or 7/32") , 5/16" & 3/8"		

HEX mix BALL POINT HEX

STYLE NO.	CONTAINS	PACKING	CARTON
BH-9XLHB	1.5 , 2 , 2.5 , 3 , 4 , 5 , 6 , 8 & 10mm	9PC IN A DOUBLE LAYER HOLDERS / SLIDE CARD	6 Sets / Inner Box 48sets / G.W.24kgs / 1.9'
BH-9XLHBI	1/16" , 5/64" , 3/32" , 1/8" , 5/32" , 3/16" , 1/4" (or 7/32") , 5/16" & 3/8"		

STAR mix TAMPERPROOF STAR

STYLE NO.	CONTAINS	PACKING	CARTON
BH-9XLT	SHORT HEAD : STAR (NON HOLE) T10,T15, T20,T25,T27,T30,T40,T45 & T50	9PC IN A DOUBLE LAYER HOLDERS / SLIDE CARD	6 Sets / Inner Box 48sets / G.W.26kgs / 1.9'
BH-9XLTT	LONG HEAD : TAMPER STAR(WITH HOLE) TT10,TT15,TT20,TT25, TT27,TT30,TT40,TT45 & TT50		

Minimum order 240 sets (Each size)

INDUSTRIAL QUALITY TOOLS.

High Torque Bits / Bit Socket / Drill / Screw Driver / Coupler / L Key Wrench / Bit Holder / Socket Adapter / Nut Setter

S-2 / 18PC "T" BAR & KEY WRENCH SET

STYLE NO.	CONTAINS	PACKING	CARTON
BH-18TBAR	•MULT WRENCH BAR •S2/HEX mix BALL POINT HEX"L" KEY : 3 , 4 , 5 , 6 , 7 , 8 & 10mm •S2/8mm SHANK BITS : T10 , T15 , T20 , T25 , T27 , T30 ,T40 , T45 , T50 •8mm x 8mm BIT COUPLER	BLOW CASE	24SETS / G.W.20.5kgs / 1.6'

Corking®

BAOHUI SCREW POWER BIT INC.

TEL : +886-4-24071107

FAX : +886-4-24073063

Web : www.baohui-tools.com

E-mail : corking@ms19.hinet.net

Address : No.50-9,Shuwang Rd.,Dali Dist.,Taichung City 412,Taiwan

Copyright by Baohui Screw Power Bit Inc.All Rights Reserved.